



JOURNAL of the
**AMERICAN ACADEMY OF
DERMATOLOGY**

Editors

J. Graham Smith, Jr., M.D. *Editor*

Donald C. Abele, M.D. *Associate Editor*

Assistant Editors

Richard L. Dobson, M.D.

John H. Epstein, M.D.

Stephen I. Katz, M.D.

W. Clark Lambert, M.D.

Walter G. Larsen, M.D.

John S. Strauss, M.D.

Editorial Board

Philip C. Anderson, M.D.

David R. Bickers, M.D.

Martin M. Black, M.D.

Robert A. Briggaman, M.D.

Ruggero Caputo, M.D.

D. Martin Carter, M.D.

Philip M. Catalano, M.D.

Enno Christophers, M.D.

Richard L. Edelson, M.D.

Nancy B. Esterly, M.D.

Mauricio Goihman-Yahr, M.D.

Karl Holubar, M.D.

Edward A. Krull, M.D.

Charles M. Lapiere, M.D.

Charles J. McDonald, M.D.

Jose M. Mascaro, M.D.

David N. Nurse, M.D.

George F. Odland, M.D.

Richard B. Odom, M.D.

Muneo Ohkido, M.D.

Peter E. Pochi, M.D.

Michel Prunieras, M.D.

W. Mitchell Sams, Jr., M.D.

William F. Schorr, M.D.

Alan R. Shalita, M.D.

Edgar B. Smith, M.D.

William D. Stewart, M.D.

John J. Voorhees, M.D.

Peyton E. Weary, M.D.

Dennis A. Weigand, M.D.

Klaus Wolff, M.D.

Hugh F. Zachariae, M.D.

Volume 11, July-December, 1984

OFFICIAL PUBLICATION OF THE AMERICAN ACADEMY OF DERMATOLOGY

The C. V. Mosby Company, St. Louis, publisher

Published monthly

VOLUME 11

COPYRIGHT © 1984 by
AMERICAN ACADEMY OF DERMATOLOGY, INC.
(ALL RIGHTS RESERVED)

Printed in the United States of America

Index to volume 11

Author index

A

- Abell E *see* Zitelli et al, 402
 Abergel RP, Meeker CA, Lam TS, Dwyer RM, Lesavoy MA, Uitto J: Control of connective tissue metabolism by lasers: Recent developments and future prospects, 1142 (Dermatologic surgery)
 Abraham JL *see* Jackson et al, 1065
 Achar S *see* Arlian et al, 210
 Acott KM *see* Peterson et al, 468
 Adams RM, member, ad hoc committee; environmental reactions to chemical, physical, and biologic agents, 1007
 Adomian GE *see* Oikarinen et al, 64
 Agnish ND, DiNardo B, Rusin G, Hoar RM: The effect of a teratogenic dose of isotretinoin on the subsequent pregnancy in the rat, 665 (Correspondence)
 Ahmed AR, Hombal SM: Cyclophosphamide (Cytosan), 1115 (Therapy)
 Ainsworth SK *see* Chen et al, 461
 Akers, WA, member, ad hoc committee; environmental reactions to chemical, physical, and biologic agents, 1007
 Albert MK *see* Jawitz et al, 265
 Albom MJ *see* Snyder et al, 513 (Dermatologic surgery)
 Aliaga A *see* Serrano et al, 113
 Allen BS *see* Leshner and Allen, 713
 — *see* Pearson et al, 755
 Allen MH *see* Horton et al, 591
 Alper JC, Welch EA, Maguire P: Use of the vapor permeable membrane for cutaneous ulcers: Details of application and side effects, 858
 — *see* Snyder et al, 513 (Dermatologic surgery)
 Alroy J *see* Schaumburg-Lever et al, 1087
 American Academy of Dermatology Task Force on Pediatric Dermatology. Genital warts and sexual abuse in children, 529 (Special report)
 Ammann AJ: New insight into the causes of immunodeficiency disorders, 653 (Clinical review)
 Androphy EJ, Dvoretzky I, Maluish AE, Wallace HJ, Lowy DR: Response of warts in epidermodysplasia verruciformis to treatment with systemic and intralesional alpha interferon, 197
 Aozasa K *see* Yamamura et al, 907 (Correspondence)
 Arlian LG, Runyan RA, Achar S, Estes SA: Survival and infestivity of *Sarcoptes scabiei* var. *canis* and var. *hominis*, 210
 —, —, Sorlie LB, Estes SA: Host-seeking behavior of *Sarcoptes scabiei*, 594
 Arndt KA: Treatment techniques in argon laser therapy, 90; correction, 998
 — *see* Diette et al, 441
 Arnold HL Jr: Paroxysmal pruritus, 322 (Commentary)
 Assaad D *see* Scully and Assaad, 503 (Dermatopathology)
 — *see* Scully et al, 361
 July, pp. 1-164; August, part 1, pp. 165-326; August, part 2, pp. 327-380; September, pp. 381-540; October, part 1, pp. 541-708; October, part 2, pp. 709-762; November, part 1, pp. 763-926; November, part 2, pp. 927-1024; December, pp. 1025-1202.

- Auerbach AD *see* Carter et al, 974
 Ayala F *see* Ruocco and Ayala, 1161 (Correspondence)

B

- Baden HP, Bronstein BR, and RE: Hereditary callosities with blisters, 409
 Bailly A, Devuyt J, Quarre J-P, Quevren F: Acrodermatitis enteropathica and Crohn's disease, 525 (Correspondence)
 Bale GF *see* Pucevich et al, 327
 Banks PM *see* Buzzanga et al, 880 (Dermatopathology)
 Banse-Kupin L, Morales A, Barlow M: Torre's syndrome, 521 (Correspondence)
 Barbera LG *see* Poh-Fitzpatrick and Barbera, 111
 Bargman H: Lack of cross-sensitivity between tetracycline, doxycycline, and minocycline with regard to fixed drug sensitivity to tetracycline, 900 (Correspondence)
 — *see* Scully et al, 361
 Barlow M *see* Banse-Kupin et al, 521 (Correspondence)
 Bar-Nathan EA *see* Brenner and Bar-Nathan, 524 (Correspondence)
 Barnhill RL, Doll NJ, Millikan LE, Hastings RC: Studies on the anti-inflammatory properties of thalidomide: Effects on polymorphonuclear leukocytes and monocytes, 814
 Barr RJ: *see* Miller and Barr, 620
 Battaglini J, Olsen TG: Disseminated xanthosiderohistiocytosis, a variant of xanthoma disseminatum, in a patient with a plasma cell dyscrasia, 750
 Bauer EA *see* Pinnell et al, 990
 Bean SF, Fritz KA, Jordon RE: Bullous dermatoses, 1151 (Periodic synopsis)
 Berger TG, Graham JH, Goette DK: Lichenoid benign keratosis, 635 (Dermatopathology)
 — *see* James et al, 438, 1111
 —, Levin MW: Congenital smooth muscle hamartoma, 709
 Bergfeld WF *see* Staus and Bergfeld, 527 (Correspondence)
 Bergstresser PR *see* Krueger et al, 937
 Bertamino R *see* Rebora et al, 907 (Correspondence)
 Berzin M *see* Woodley and Berzin, 311
 Bhawan J, Gellis S, Ucci A, Chang T-W: Vesiculobullous lesions caused by cytomegalovirus infection in an immunocompromised adult, 743
 Bickers, DR, member, ad hoc committee; environmental reactions to chemical, physical, and biologic agents, 1007
 —, Elias PM, Marks R, Soter NA, Voorhees JJ, Ziboh VA: Dermatologic needs in drugs and instrumentation, 983
 Birmingham, DJ, member, ad hoc committee; environmental reactions to chemical, physical, and biologic agents, 1007
 Bishop L *see* Stern and Bishop, 527 (Correspondence)
 Bjerring P *see* Foged et al, 580
 Blank IH, member, ad hoc committee; environmental reactions to chemical, physical, and biologic agents, 1007
 — *see* Taylor et al, 1007
 Blum D *see* Pavlidakey et al, 509 (Gross and microscopic symposium)
 Bonillo J *see* Serrano et al, 113
 Boyd JB *see* Zitelli et al, 402

- Brenner S, Bar-Nathan EA: Pemphigus vulgaris triggered by emotional stress, 524 (Correspondence)
- , Schifter R, Yaron M: A handlike pattern resembling systemic lupus erythematosus immunofluorescence in a case of relapsing polychondritis, 1161 (Correspondence)
- Brice SL: Sixty-fourth Annual meeting of the British Association of Dermatologists, 897 (Correspondence)
- Briggaman RA *see* Gammon et al, 820
- Bronstein BR *see* Baden et al, 409
- Brooks NA: Reply to King DF: Mohs' surgery using permanent sections, 305 (Correspondence)
- Brown TR *see* Smith et al, 148 (Special report)
- Brownstein MH: Reply to Okun MR: Combined epidermoid (epidermal) and trichilemmal (pilar) cyst, 141 (Correspondence)
- Buechner SA *see* Su et al, 121
- Bunning RD *see* Jawitz et al, 265
- Burket JM, Zelickson AS: Tubular apocrine adenoma with perineural invasion, 639 (Dermatopathology)
- Burnett JW *see* Wong et al, 606
- Butler DF *see* James et al, 1111
- Buzzanga J, Banks PM, Winkelmann RK: Lymph node histopathology in Sézary syndrome, 880 (Dermatopathology)
- Bystryn J-C *see* Epstein et al, 960

C

- Camisa C, Neff JC, Olsen RG: Use of indirect immunofluorescence in the lupus erythematosus/lichen planus overlap syndrome: An additional diagnostic clue, 1050
- , Olsen RG, Yohn JJ: Differentiating bullous lichen planus and lichen planus pemphigoides, 1164 (Correspondence)
- Campbell AC *see* Shelley et al, 53
- Carter DM, Auerbach AD, Elsas LJ, Goldsmith LA, Lucky AW: Dermatologic birth defects and congenital skin disease, 974
- *see* Lucky et al, 340
- Case P *see* Vanderveen et al, 416
- Casperson LS *see* Heskell et al, 422
- Chan SC *see* Heskell et al, 422
- Chang T-W *see* Bhawan et al, 743
- Chapman CR *see* Tuckett et al, 1000
- Chavaz P *see* Mérot et al, 568
- Chen Z-Y, Virella G, Tung HE, Ainsworth SK, Silver RM, Wang A-C, LaVia MF, Maricq HR, Dobson RL: Immune complexes and antinuclear, antinucleolar, and antacentromere antibodies in scleroderma, 461
- Chowdhury L *see* Massa et al, 333
- Chuang T-Y, Korkij W, Soltani K, Clayman J, Cook J: Increased frequency of diabetes mellitus in patients with bullous pemphigoid: A case-control study, 1099
- *see* Korkij et al, 609
- Clark JG *see* Oikarinen et al, 64
- Clayman J *see* Chuang et al, 1099
- Cohen LE: Drug eruption secondary to trazodone, 526 (Correspondence)
- Cole CA, Forbes PD, Davies RE: Different biologic effectiveness of blacklight fluorescent lamps available for therapy with psoralens plus ultraviolet A, 599
- Cook J *see* Chuang et al, 1099
- Cooper PH: Fibroma of tendon sheath, 625
- Coskey RJ: Dermatologic therapy: December, 1982, through November, 1983, 25
- , Mehregan AH: Calcinosis cutis in a burn scar, 666 (Correspondence)

- Crissey JT: William Allen Pusey, 702 (Epitaph)
- Crovato F *see* Rebora et al, 907 (Correspondence)
- Curtis G *see* Weiss et al, 898 (Correspondence)

D

- Dahl MGC *see* Lawrence and Dahl, 1059
- Dahl MV, Pass F, Trancik RJ: Sodium lauryl sulfate irritant patch tests. II. Variations of test responses among subjects and comparison to variations of allergic responses elicited by *Toxicodendron* extract, 474
- , Roering MJ: Sodium lauryl sulfate irritant patch tests. III. Evaporation of aqueous vehicle influences inflammatory response, 477
- David M *see* Hodak et al, 1166 (Correspondence)
- Davidson TM: Reply to Ruocco V, Ayala F: Basalioma and basal cell carcinoma, 1161 (Correspondence)
- Davies RE *see* Cole et al, 599
- Del Campo DV: Strenuous exercise with isotretinoin, 301 (Correspondence)
- Deng J-S, Sontheimer RD, Gilliam JN: Relationships between antinuclear and anti-Ro/SS-A antibodies in subacute cutaneous lupus erythematosus, 494
- *see* Steinmetz et al, 490
- Denman ST *see* Tuckett et al, 1000
- Devuyst J *see* Bailly et al, 525 (Correspondence)
- Dicken, CH: Retinoids: A review, 541 (Therapy)
- , Powell ST, Spear KL: Evaluation of isotretinoin treatment of hidradenitis suppurativa, 500
- Dickson ER *see* Powell et al, 142 (Correspondence)
- Dickson KB *see* Schorr et al, 1043
- Didierjean L *see* Mérot et al, 568
- Diette KM, Montaz-T K, Stern RS, Arndt KA, Parrish JA: Role of ultraviolet A in phototherapy for psoriasis, 441
- DiNardo B *see* Agnietti et al, 665 (Correspondence)
- Dobson RL: President's note, 927
- *see* Chen et al, 461
- Doll NJ *see* Barnhill et al, 814
- Dromgoole SH: Bronchial reactions during psoralens and ultraviolet A (PUVA) therapy, 894 (Correspondence)
- Dunagin WG: Reply to Shear NH, Okey AB: Location of Ah receptor for dioxin, 664 (Correspondence)
- Dvoretzky I *see* Androphy et al, 197
- Dwyer RM *see* Abergel et al, 1142 (Dermatologic surgery)

E

- Eaglstien WH *see* Eells et al, 105
- Edelson R *see* Epstein et al, 960
- Eells LD, Wolff JM, Garloff J, Eaglstien WH: Comparison of suberythemogenic and maximally aggressive ultraviolet B therapy for psoriasis, 105
- Elder RL: The Cosmetic Ingredient Review—a safety evaluation program, 1168 (Special report)
- Elgart ML *see* McCormack et al, 397
- Elias PM *see* Bickers et al, 983
- *see* Epstein et al, 960
- Ellis CN *see* Vanderveen et al, 416
- *see* Wong et al, 643 (Clinical review); 1076
- Elpern DJ: Infantile acropustulosis and antecedent scabies, 895 (Correspondence)
- Elsas LJ *see* Carter et al, 974
- Emmett, EA, member, ad hoc committee; environmental reactions to chemical, physical, and biologic agents, 1007

Engel A *see* Johnson et al, 930

Epstein E: Reply to Stocker WW: Hand dermatitis and psychosomatic factors, 523 (Correspondence)

Epstein J, member, ad hoc committee; environmental reactions to chemical, physical, and biologic agents, 1007

Epstein WL, Bystryk J-C, Edelson R, Elias PM, Lowy DR, Yuspa S: Nonmelanoma skin cancer, melanomas, warts, and viral oncogenesis, 960

—, Katz SI, Sams WM, Sober AJ, Thiers BH, Weigand DA: Periodic synopsis, 1151

Estes SA *see* Arlian et al, 210, 594

F

Fairley JA, Pentland AP, Voorhees JJ: Urticaria pigmentosa responsive to nifedipine, 740

— *see* Wong et al, 643 (Clinical review)

Falk DK: Pulmonary disease in idiopathic urticarial vasculitis, 346

Famey E *see* Wallk et al, 1175

Faucher F *see* Mérot et al, 568

Feingold DS, Taplin D: Infections and infestations of the skin, 971

Feinstein A, Kahana M, Schewach-Millet M, Levy A: Idiopathic calcinosis and vitiligo of the scrotum, 519 (Correspondence)

Feinstein RJ, Rodriguez-Valdes J: Gnathostomiasis, or larva migrans profundus, 738

Ferguson TB, Langsley DG: Fifty years of medical specialty certification—role of the American Board of Medical Specialties, 911 (Special article)

Feuerman EJ *see* Hodak et al, 1166 (Correspondence)

Finan MC, Su WPD, Li C-Y: Cutaneous findings in hairy cell leukemia, 788

Fisher BK: Basic science in dermatology training: A practitioner's view, 661 (Editorial)

Fisher RS, Middleton JC: Dermatitis following ingestion of diuretics and boric acid, 146 (Correspondence)

Fleischmajer R *see* Pinnell et al, 990

Floro JF *see* Hall et al, 1163 (Correspondence)

Flynn TC, Harrist TJ, Murphy GF, Loss RW, Moschella SL: Neutrophilic eccrine hidradenitis: A distinctive rash associated with cytarabine therapy and acute leukemia, 584, 926 (Correction)

Foged E, Bjerring P, Kragballe K, Søgaard H, Zachariae H: Histologic changes in the liver during etretinate treatment, 580

Forbes PD *see* Cole et al, 599

Fouts JR, member, ad hoc committee; environmental reactions to chemical, physical, and biologic agents, 1007

Fräki JE *see* Neittaanmäki et al, 483

Freinkel RK *see* Shalita and Freinkel, 957

Fretzin DF *see* Massa et al, 333

Friedman HM *see* Sussman et al, 371

Friedman SJ *see* Venencie et al, 576

Fritz KA *see* Bean et al, 1151 (Periodic synopsis)

Fudenberg HH *see* Galbraith et al, 224

Fueyo MA, Lookingbill DP: Herpes zoster and occult malignancy, 480

Fukuyama K, member, ad hoc committee; environmental reactions to chemical, physical, and biologic agents, 1007

Fulton JE Jr: Replies to Rapaport M: Rabbit ear and comedogenicity, 307, 308 (Correspondence)

—: Reply to Thorne EG, Shea LM, Mezick JA: Lack of comedogenicity of tretinoin creams, 904 (Correspondence)

Fusaro RM, Miller NG: Onychomycosis caused by *Trichosporon beigelii* in the United States, 747

G

Galbraith GMP, Thiers BH, Fudenberg HH: An open-label trial of immunomodulation therapy with inosiplex (Isoprinosine) in patients with alopecia totalis and cell-mediated immunodeficiency, 224

Galdston M *see* Lipkin et al, 615

Gammon WR, Briggaman RA, Woodley DT, Heald PW, Wheeler CE Jr: Epidermolysis bullosa acquisita—a pemphigoid-like disease, 820

Gange RW, member, ad hoc committee; environmental reactions to chemical, physical, and biologic agents, 1007

Gargallo E *see* Serrano et al, 113

Garloff J *see* Eells et al, 105

Gellin GA, member, ad hoc committee; environmental reactions to chemical, physical, and biologic agents, 1007

Gellis S *see* Bhawan et al, 743

Gentry W *see* Wallk et al, 1175

Gigli I, Hanifin JM, Katz SI, Provost TT, Soter NA: Eczematous and immunologic diseases, 948

Gilchrist BA: Aging, 995

—, member, ad hoc committee; environmental reactions to chemical, physical, and biologic agents, 1007

— *see* Tuckett et al, 1000

Gilliam JN *see* Deng et al, 494

— *see* Steinmetz et al, 490

Glamb R, Kim R: Pseudocyst of auricle, 58

Glogau RG *see* Stegman et al, 663 (Correspondence)

Goette DK *see* Berger et al, 635 (Dermatopathology)

Goldsmith LA *see* Carter et al, 974

Golitz LE *see* Wallk et al, 1175

Gordon LA, Orell SR: Evaluation of cytodiagnosis of cutaneous basal cell carcinoma, 1082

Graham JH *see* Berger et al, 635 (Dermatopathology)

Grant G *see* Zitelli et al, 402

Greene SL, Su WPD, Muller SA: Ecthyma gangrenosum: Report of clinical, histopathologic, and bacteriologic aspects of eight cases, 781

Grekin RC *see* Grekin et al, 685

Grekin RH, Grekin RC, Grekin DA: American Academy of Dermatology, Forty-second Annual Meeting, Chicago, IL, Dec. 1-6, 1983, 685

—: Reply to Stricks J: AIDS in the general population, 301 (Correspondence)

Grover RW, Rosenbaum R: The association of transient acantholytic dermatosis with other skin diseases, 253

Gschnait F *see* Schwarz et al, 724

Guill MA *see* James et al, 438

Guin JD: Reply to Rietschel RL: Mechanism of action of eugenol and *d*-limonene in contact urticaria, 521 (Correspondence)

H

Hada S *see* Nakayama et al, 137 (Editorial)

Hall RS, Floro JF, King LE Jr: Hypopigmented lesions in sarcoidosis, 1163 (Correspondence)

Hanifin JM *see* Gigli et al, 948

— *see* Heskell et al, 422

Happle R *see* Küster and Happle, 921 (Commentary)

Harrist TJ *see* Flynn et al, 584

Hashimoto K, Takahashi S, Lee RG, Krull EA: Congenital self-healing reticulohistiocytosis, 447

— *see* Pavlidakey et al, 509 (Gross and microscopic symposium)

- Hastings RC *see* Barnhill et al, 814
 Head ES, Henry JC, Macdonald EM: The cotton swab technic for the culture of dermatophyte infections—its efficacy and merit, 797
 Headington JT *see* Vanderveen et al, 416
 Heald PW *see* Gammon et al, 820
 Heezen JL *see* Wong et al, 1076
 Helwig EB *see* Mandojana and Helwig, 276 (Current issues)
 Henkin J *see* Wilkerson et al, 802
 Henry JC *see* Head et al, 797
 Hersle KS *see* Moberg et al, 242
 Heskell NS, Chan SC, Thiel ML, Stevens SR, Casperson LS, Hanifin JM: Elevated umbilical cord blood leukocyte cyclic adenosine monophosphate-phosphodiesterase activity in children with atopic parents, 422
 Hoar RM *see* Agnish et al, 665 (Correspondence)
 Hodak E, David M, Feuerman EJ: Excess granulation tissue during tretinate therapy, 1166 (Correspondence)
 Hollander A: Oscar Gans (1888-1983), 162 (Epitaph)
 Holloway JE: Chemical composition for saltpeter, 309 (Correspondence)
 Holubar K: Origin of the term *internal medicine* (Holubar), 537 (Commentary)
 —: Reply to King DF, King LAC: Josef Plenck—grandfather of modern dermatology, 145 (Correspondence); 926 (Correction)
 Hombal SM *see* Ahmed and Hombal, 1115 (Therapy)
 Hönigsman H *see* Pehamberger et al, 731
 Horio T, Yoshioka A, Okamoto H: Production and inhibition of solar urticaria by visible light exposure, 1094
 Horton JJ, Allen MH, MacDonald DM: An assessment of Langerhans cell quantification in tissue sections, 591
 Howell JB: Nevroid basal cell carcinoma syndrome, 98
 Hu F *see* Ono et al, 245
 Huang S-W *see* Wong et al, 606
 Hubler WR Jr: Lingual lesions of generalized pustular psoriasis, 1069

I

- Imamura S, Yamada M, Yamamoto K: Lipodystrophia centrifugalis abdominalis infantilis, 203
 Inamoto N, Watanabe T, Nakamura K: Porokeratosis of Mibelli: Benzylhydrochlorothiazide-induced new lesions accompanied by eosinophilic spongiolysis, 357

J

- Jackson RM, Tucker SB, Abraham JL, Millns JL: Factitial cutaneous ulcers and nodules: The use of electron-probe microanalysis in diagnosis, 1065
 James WD, Berger TG, Butler DF, Tuffanelli DL: Nodular (keloidal) scleroderma, 1111
 —, Meltzer MS, Guill MA, Berger TG, Rodman OG: Pigmentary demarcation lines associated with pregnancy, 438
 —, White SW, Yanklowitz B: Allergic contact dermatitis to compound tincture of benzoin, 847
 Jawitz JC, Albert MK, Nigra TP, Bunning RD: A new skin manifestation of progressive systemic sclerosis, 265
 Johnsen J: Melanoma and psoralens and ultraviolet A, 143 (Correspondence)
 Johnson KG *see* Johnson et al, 930

- Johnson M-L, Johnson KG, Engel A: Prevalence, morbidity, and cost of dermatologic diseases, 930
 Jordon RE *see* Bean et al, 1151 (Periodic synopsis)

K

- Kahana M, Trau H, Schewach-Millet M, Sofer E: Pemphigus foliaceus presenting as multiple giant seborrheic keratoses, 299 (Correspondence)
 — *see* Feinstein et al, 519 (Correspondence)
 Kahn G: Reply to Elpern DJ: Infantile acropustulosis and antecedent scabies, 896 (Correspondence)
 Kang S *see* Vanderveen et al, 416
 — *see* Wong et al, 1076
 Katz SI: The epidermal basement membrane zone—structure, ontogeny, and role in disease, 1025
 — *see* Epstein et al, 1151
 — *see* Gigli et al, 948
 Kennedy CTC, Lyell A: Perianal orf, 72
 Kerdel FA, Moschella SL: Sarcoidosis, 1
 Key MM, member, ad hoc committee; environmental reactions to chemical, physical, and biologic agents, 1007
 Kibbe AH *see* Smith et al, 148 (Special report)
 Kim R *see* Glamb and Kim, 58
 King DF: Modern textbooks of dermatopathology and acantholysis of Auspitz, 301 (Correspondence)
 —: Mohs' surgery using permanent sections, 304 (Correspondence)
 —, King LAC: Josef Plenck—grandfather of modern dermatology, 143 (Correspondence)
 King LAC *see* King and King, 143 (Correspondence)
 King LE Jr: *see* Hall et al, 1163 (Correspondence)
 — *see* Pucevich et al, 327
 Kirkwood JM *see* Lerner and Kirkwood, 696 (Commentary)
 Kirsch N *see* Lucky et al, 340
 Kjeldsberg CR *see* Piepkorn et al, 427
 Klaus S, Lerner AB: Vitiligo, 997
 Kligman AM, member, ad hoc committee; environmental reactions to chemical, physical, and biologic agents, 1007
 Kopf AW: Response to Sweren RJ: Management of congenital nevocytic nevi: A survey of current practices, 633 (Current issues)
 —, Kripke ML, Stern RS: Sun and malignant melanoma, 674 (Special article)
 Korkij W, Chuang T-Y, Soltani K: Liver abnormalities in patients with lichen planus, 609
 — *see* Chuang et al, 1099
 Kraemer KH, member, ad hoc committee; environmental reactions to chemical, physical, and biologic agents, 1007
 Kragballe K *see* Foged et al, 580
 Kranning KK *see* Tuckett et al, 1000
 Kripke ML *see* Kopf et al, 674 (Special article)
 Krochmal L: Reply to Rapaport M: Rabbit ear and comedogenicity, 308 (Correspondence)
 Krueger GG, Bergstresser PR, Lowe NJ, Voorhees JJ, Weinstein GD: Psoriasis, 937
 Krull EA *see* Hashimoto et al, 447
 — *see* Mitchell and Krull, 763
 Kueppers F *see* Lipkin et al, 615
 Küster W, Happle R: The inheritance of common baldness: Two B or not two B? 921 (Commentary)
 Kyle RA *see* Venencie et al, 576

L

- Lam TS *see* Abergel et al, 1142 (Dermatologic surgery)
Lambert MW *see* Lambert and Lambert, 669 (Special article)
Lambert WC, Lambert MW: Criteria for diagnosis in dermatology and dermatopathology: A critical evaluation, 669 (Special article)
Langsley DG *see* Ferguson and Langsley, 911 (Special article)
Latour DL *see* Pucevich et al, 327
LaVia MF *see* Chen et al, 461
Lawrence CM, Dahl MGC: Two patterns of skin ulceration induced by methotrexate in patients with psoriasis, 1059
Lazarus GS, member, ad hoc committee; environmental reactions to chemical, physical, and biologic agents, 1007
Lee B *see* Mora et al, 557
— *see* Mora and Lee, 563
Lee RG *see* Hashimoto et al, 447
Leneck CM: Collagen concentration in Zyderm, 663 (Correspondence)
Lerner AB, Kirkwood JM: Vitiligo and melanoma: Can genetically abnormal melanocytes result in both vitiligo and melanoma within a single family? 696 (Commentary)
— *see* Klaus and Lerner, 997
Lesavoy MA *see* Abergel et al, 1142 (Dermatologic surgery)
Leshner JL Jr, Allen BS: Multicentric reticulohistiocytosis, 713
Lever WF: Reply to King DF: Modern textbooks of dermatopathology and acantholysis of Auspitz, 302 (Correspondence)
— *see* Schaumburg-Lever et al, 1087
Levin MW *see* Berger and Levin, 709
Levy A *see* Feinstein et al, 519 (Correspondence)
Li C-Y *see* Finan et al, 788
— *see* Su et al, 121
Liesegang TJ: The varicella-zoster virus: Systemic and ocular features, 165
Lim HW, Poh-Fitzpatrick MB: Hepatoerythropoietic porphyria: A variant childhood-onset porphyria cutanea tarda, 1103
— *see* Weiss et al, 898 (Correspondence)
Lipkin G, Galdston M, Kueppers F: Alpha₁-antitrypsin deficiency genes: Contributory defect in a subset of psoriatics? 615
Lookingbill DP *see* Fueyo and Lookingbill, 480
Loss RW *see* Flynn et al, 584
Lowe NJ: Reply to Statham BN, Ryatt KS, Rowell NR: Anthralin therapy for psoriasis, 304 (Correspondence)
— *see* Krueger et al, 937
Löwhagen G-BE *see* Moberg et al, 242
Lowy DR *see* Androphy et al, 197
— *see* Epstein et al, 960
Lucky AW, McGuire J: Infantile acropustulosis, 894 (Correspondence)
— *see* Carter et al, 974
— *see* Lucky et al, 340
Lucky PA, Kirsch N, Lucky AW, Carter DM: Low-sulfur hair syndrome associated with UVB photosensitivity and testicular failure, 340
— *see* Saruk et al, 353
Lumpkin LR III, Rosen T, Tschien JA: Subungual squamous cell carcinoma, 735
Lutzner MA: Skin cancer in immunosuppressed organ transplant recipients, 891 (Editorial)
Lyell A *see* Kennedy and Lyell, 72
Lynde CW, McLean DI, Wood WS: Tumors of ceruminous glands, 841
— *see* Tullis et al, 364

M

- McBurney EI: Protection from hepatitis B, 909 (Queries)
McCormack LS, Elgart ML, Turner MLC: Annular subacute cutaneous lupus erythematosus responsive to dapsone, 397
MacDonald DM *see* Horton et al, 591
Macdonald EM *see* Head et al, 797
McGuire J *see* Lucky and McGuire, 894 (Correspondence)
McLean DI *see* Lynde et al, 841
— *see* Tullis et al, 364
McMahon F *see* Sussman et al, 371
Maguire P *see* Alper et al, 858
Mah K *see* Ono et al, 245
Maibach HI: Fixed erythema and carcinoma of the breast, 1163 (Correspondence)
—, member, ad hoc committee; environmental reactions to chemical, physical, and biologic agents, 1007
Maluish AE *see* Androphy et al, 197
Mandojana RM, Helwig EB: Response to Zackheim HS: Is "localized epidermotropic reticulosis" (Woringer-Kolopp disease) benign? 276 (Current issues)
Maricq HR *see* Chen et al, 461
Markham B *see* Rosen et al, 433
Marks R *see* Bickers et al, 983
Marty J *see* Piepkorn et al, 427
Massa MC, Fretzin DF, Chowdhury L, Sweet DL: Angiolymphoid hyperplasia demonstrating extensive skin and mucosal lesions controlled with vinblastine therapy, 333
Mathews CR *see* Slazinski et al, 140 (Correspondence)
Meeker CA *see* Abergel et al, 1142 (Dermatologic surgery)
Mehregan AH *see* Coskey and Mehregan, 666 (Correspondence)
Meijer CJLM *see* Willemze et al, 832
Melski JW *see* Schorr et al, 1043
Meltzer MS *see* James et al, 438
Métrot Y, Didierjean L, Faucher F, Chavaz P, Saurat J-H: Antibodies to Merkel cells in human sera, 568
Mezick JA *see* Thorne et al, 902 (Correspondence)
Middleton JC *see* Fisher and Middleton, 146 (Correspondence)
Mikhail GR: Subungual epidermoid carcinoma, 291 (Dermatologic surgery)
Miller A, Barr RJ: Fixed-tissue binding of fluorescein-conjugated concanavalin A to malignant melanomas versus nevi, 620
Miller NG *see* Fusaro and Miller, 747
Miller OF III, Tyler W: Cutaneous bronchogenic cyst with papilloma and sinus presentation, 367
Millikan LE *see* Barnhill et al, 814
Millns JL *see* Jackson et al, 1065
Mitchell AJ, Krull EA: Alopecia areata: Pathogenesis and treatment, 763
—: Reply to Wolf D, Wolf R: Simultaneous alopecia areata in two siblings, 898 (Correspondence)
Moberg SAW, Löwhagen G-BE, Hersle KS: An epidemic of scabies with unusual features and treatment resistance in a nursing home, 242
Momtaz-T K *see* Diette et al, 441
Mooney E: Complement factor 6 deficiency associated with lupus, 896 (Correspondence)
Moore J *see* Rosen et al, 433
Mora RG, Lee B: Cancer of the skin in blacks. IV. A review of nineteen black patients with Kaposi's sarcoma, 563
—, Pernicaro C, Lee B: Cancer of the skin in blacks. III. A review of nineteen black patients with Bowen's disease, 557
Morales A *see* Banse-Kupin et al, 521 (Correspondence)

- Morhenn VB *see* Todes-Taylor et al, 216
 Morison WL, member, ad hoc committee; environmental reactions to chemical, physical, and biologic agents, 1007
 Moschella SL *see* Flynn et al, 584
 — *see* Kerdel and Moschella, 1
 Moshell AN, member, ad hoc committee; environmental reactions to chemical, physical, and biologic agents, 1007
 Mueggler PA *see* Peterson et al, 468
 Muhlbauer JE *see* Schwartz et al, 377
 Muller SA *see* Greene et al, 781
 — *see* Poulin et al, 851
 Murphy GF *see* Flynn et al, 584
 Myöhänen T *see* Neittaanmäki et al, 483

N

- Nader S, Rodriguez-Rigau LJ, Smith KD, Steinberger E: Acne and hyperandrogenism: Impact of lowering androgen levels with glucocorticoid treatment, 256
 Nakamura K *see* Inamoto et al, 357
 Nakayama H, Shono M, Hada S: Mercury exanthem, 137 (Editorial)
 Neff JC *see* Camisa et al, 1050
 Neittaanmäki H, Myöhänen T, Fräki JE: Comparison of cinnarizine, cyproheptadine, doxepin, and hydroxyzine in treatment of idiopathic cold urticaria: Usefulness of doxepin, 483
 Nesbitt LT Jr: Reply to Camisa C, Olsen RG, Yohn JJ: Differentiating bullous lichen planus and lichen planus pemphigoides, 1166 (Correspondence)
 Nigra TP *see* Jawitz et al, 265
 Novick NL: Practical management of widespread, atypical keratosis pilaris, 305 (Correspondence)
 Nunzi E *see* Rebora et al, 907 (Correspondence)

O

- Odland GF: Introduction, 928
 Oikarinen AI, Palatsi R, Adomian GE, Oikarinen H, Clark JG, Uitto J: Anetoderma: Biochemical and ultrastructural demonstration of an elastin defect in the skin of three patients, 64
 Oikarinen H *see* Oikarinen et al, 64
 Okamoto H *see* Horio et al, 1094
 Okey AB *see* Shear and Okey, 663 (Correspondence)
 Okun MR: Combined epidermoid (epidermal) and trichilemmal (pillar) cyst, 141 (Correspondence)
 Olsen RG *see* Camisa et al, 1050, 1164 (Correspondence)
 Olsen TG *see* Battaglini and Olsen, 750
 — *see* Saruk et al, 353
 Ono T, Mah K, Hu F: Dermal Merkel cells in the nevus of Ota and leopard syndrome, 245
 Orell SR *see* Gordon and Orell, 1082
 Orfanos CE *see* Schaumburg-Lever et al, 1087

P

- Palatsi R *see* Oikarinen et al, 64
 Parker F *see* Peterson et al, 468
 Parrish JA, member, ad hoc committee; environmental reactions to chemical, physical, and biologic agents, 1007
 — *see* Diette et al, 441
 — *see* Taylor et al, 1007
 Pass F *see* Dahl et al, 474
 Pathak, MA, member, ad hoc committee; environmental reactions to chemical, physical, and biologic agents, 1007

- Patterson JW: Reply to Holloway JE: Chemical composition for salt-peter, 309 (Correspondence)
 Pavliadekey GP, Hashimoto K, Blum D: Yellow nail syndrome, 509 (Gross and microscopic symposium)
 Pearson LH, Allen BS, Smith JG Jr: Acrodermatitis continua of Hallopeau: Treatment with etretinate and review of relapsing pustular eruptions of the hands and feet, 755
 Peck SM: Reply to Rapaport M: Rabbit ear and comedogenicity, 307 (Correspondence)
 Pehamberger H, Hönigsmann H, Wolff K: Dysplastic nevus syndrome with multiple primary amelanotic melanomas in oculocutaneous albinism, 731
 Pelufo C *see* Serrano et al, 113
 Penneys NS: Immunoperoxidase methods and advances in skin biology, 284 (Clinical review)
 Pentland AP *see* Fairley et al, 740
 Perniciaro C *see* Mora et al, 557
 Perret WJ: Tinea manuum, 300 (Correspondence)
 Perry HO *see* Poulin et al, 851
 — *see* Venencie et al, 128
 Peterson LL, Shaw JC, Acott KM, Mueggler PA, Parker F: Glucagonoma syndrome: In vitro evidence that glucagon increases epidermal arachidonic acid, 468
 Petrone GS: Miners' itch—report of an unusual case of poison oak dermatitis, 142 (Correspondence)
 Pharriss BB: Reply to Leneck CM: Collagen concentration in Zyderm, 663 (Correspondence)
 Piepkorn M, Marty J, Kjeldsberg CR: T cell subset heterogeneity in a series of patients with mycosis fungoides and Sézary syndrome, 427
 Pinnell SR, Bauer EA, Fleischmajer R, Uitto J: Connective tissue diseases, 990
 Pittelkow RB, member, ad hoc committee; environmental reactions to chemical, physical, and biologic agents, 1007
 Poh-Fitzpatrick MB, Barbera LG: Absence of crystalline retinopathy after long-term therapy with β -carotene, 111
 — *see* Lim and Poh-Fitzpatrick, 1103
 Poland A, member, ad hoc committee; environmental reactions to chemical, physical, and biologic agents, 1007
 Poulton Y, Perry HO, Muller SA: Pemphigus vulgaris: Results of treatment with gold as a steroid-sparing agent in a series of thirteen patients, 851
 Powell FC, Dickson ER, Rogers RS III: Reply to Rebora A, Rongioletti F: Lichen planus and chronic active hepatitis, 142 (Correspondence)
 — *see* Venencie et al, 128
 Powell ST *see* Dicken et al, 500
 Provost TT *see* Gigli et al, 948
 Pucevich MV, Latour DL, Bale GF, King LE Jr: Self-healing juvenile cutaneous mucinosis, 327
 Puhvel SM, member, ad hoc committee; environmental reactions to chemical, physical, and biologic agents, 1007
 Puissant A *see* Venencie et al, 576

Q

- Quarre J-P *see* Bailly et al, 525 (Correspondence)
 Quevrenin F *see* Bailly et al, 525 (Correspondence)

R

- Ramsdell W *see* Rosen et al, 433
 Rand RE *see* Baden et al, 409

- Rapaport M: Rabbit ear and comedogenicity, 306 (Correspondence)
Rapaport MJ, Salit R, Rivkin L: Collagen injections for aging skin lines (wrinkles), 250
Rasmussen JE *see* Spraker et al, 152
Rebora A, Crovato F, Bertamino R, Nunzi E: Baccaredda-Sézary syndrome, 907 (Correspondence)
—, Rongioletti F: Lichen planus and chronic active hepatitis, 142 (Correspondence)
Reel ML: Mechanoanesthesia for intradermal injections, 303 (Correspondence)
Rietschel RL: Mechanism of action of eugenol and *d*-limonene in contact urticaria, 521 (Correspondence)
—, member, ad hoc committee; environmental reactions to chemical, physical, and biologic agents, 1007
Rivkin L *see* Rapaport et al, 250
Rodman OG *see* James et al, 438
Rodríguez-Rigau LJ *see* Nader et al, 256
Rodríguez-Valdes J *see* Feinstein and Rodríguez-Valdes, 738
Roelands R: Comparing results from different PUVA centers, 522 (Correspondence)
Roering MJ *see* Dahl and Roering, 477
Rogers RS III *see* Powell et al, 142 (Correspondence)
Rongioletti F *see* Rebora and Rongioletti, 142 (Correspondence)
Rosen T, Tschén JA, Ramsdell W, Moore J, Markham B: Granuloma inguinale, 433
— *see* Lumpkin et al, 735
Rosenbaum R *see* Grover and Rosenbaum, 253
Rowell NR *see* Statham et al, 303 (Correspondence)
Rubin RL *see* Steinmetz et al, 490
Runyan RA *see* Arlian et al, 210, 594
Ruocco V, Ayala F: Basalioma and basal cell carcinoma, 1161 (Correspondence)
Rusin G *see* Agnish et al, 665 (Correspondence)
Ryatt KS *see* Statham et al, 303 (Correspondence)

S

- Salit R *see* Rapaport et al, 250
Sams WM *see* Epstein et al, 1151
Sánchez JL, Torres VM: Double-blind efficacy study of selenium sulfide in tinea versicolor, 235
—, —: Selenium sulfide in tinea versicolor: Blood and urine levels, 238
Sano S *see* Yamamura et al, 907 (Correspondence)
Saruk M, Olsen TG, Lucky PA: Metastatic epidermotropic squamous cell carcinoma of the vagina, 353
Sato K *see* Tuckett et al, 1000
Saurat J-H *see* Mérot et al, 568
Schaumburg-Lever G, Alroy J, Ucci A, Lever WF, Orfanos CE: Cell surface carbohydrates in psoriasis, 1087
Schewach-Millet M, Trau H: Congenital papillated apocrine cystadenoma: A mixed form of hidrocystoma, hidradenoma papilliferum, and syringocystadenoma papilliferum, 374
— *see* Feinstein et al, 519 (Correspondence)
— *see* Kahana et al, 299 (Correspondence)
Schifter R *see* Brenner et al, 1161 (Correspondence)
Schorr WF, Tauscheck AL, Dickson KB, Melski JW: Eosinophilic cellulitis (Wells' syndrome): Histologic and clinical features in arthropod bite reactions, 1043
Schwartz JL, Muhlbauser JE, Steigbigel RT: Pre-Kaposi's sarcoma, 377

- Schwarz T, Seiser A, Gschnait F: Disseminated superficial "actinic" porokeratosis, 724
Scully K, Assaad D: Mucinous syringometaplasia, 503 (Dermatopathology)
—, Bargman H, Assaad D: Solitary fibrofolliculoma, 361
Sebben JE: Reply to McBurney EI: Protection from hepatitis B, 909 (Queries)
—: Sterilization and care of surgical instruments and supplies, 381
Seiser A *see* Schwarz et al, 724
Serrano G, Bonillo J, Aliaga A, Gargallo E, Pelufo C: Piroxicam-induced photosensitivity, 113
Settipane GA: Reply to Dromgoole SH: Bronchial reactions during psoralens and ultraviolet A (PUVA) therapy, 894 (Correspondence)
Shalita AR, Freinkel RK: Acne, 957
—: Reply to Rapaport M: Rabbit ear and comedogenicity, 308 (Correspondence)
Sharma OP: Reply to King DF, King LAC: Josef Plenck—grandfather of modern dermatology, 146 (Correspondence)
Shaw JC, White CR Jr: Porokeratosis plantaris palmaris et disseminata, 454
— *see* Peterson et al, 468
Shea LM *see* Thorne et al, 902 (Correspondence)
Shear NH, Okay AB: Location of Ah receptor for dioxin, 663 (Correspondence)
Shelley ED *see* Shelley et al, 53, 260
Shelley WB, Shelley ED, Campbell AC, Weigensberg JJ: Drug eruptions presenting at sites of prior radiation damage (sunlight and electron beam), 53
—, Swaminathan R, Shelley ED: Lichen aureus: A hemosiderin tattoo associated with perforator vein incompetence, 260
Shmunis E, member, ad hoc committee; environmental reactions to chemical, physical, and biologic agents, 1007
Shono M *see* Nakayama et al, 137 (Editorial)
Silver RM *see* Chen et al, 461
Slazinski L, Stall JR, Mathews CR: Basal cell carcinoma in a man with acquired immunodeficiency syndrome, 140 (Correspondence)
Smith JG Jr: John S. Strauss, M.D., elected president-elect of Council of Medical Specialty Societies, 1160 (Editorial)
— Reply to McBurney EI: Protection from hepatitis B, 909 (Queries)
— *see* Pearson et al, 755
Smith KD *see* Nader et al, 256
Smith MC, Kibbe AH, Brown TR: Dermatologic prescriptions requiring compounding, 148 (Special report)
Snyder PA, Alper JC, Albom MJ: Osteomyelitis complicating Mohs' chemosurgery, 513 (Dermatologic surgery)
Sober AJ *see* Epstein et al, 1151
Sofer E *see* Kahana et al, 299 (Correspondence)
Søgaard H *see* Foged et al, 580
Soltani K *see* Chaung et al, 1099
— *see* Korkij et al, 609
Sontheimer RD *see* Deng et al, 494
— *see* Steinmetz et al, 490
Sorlie LB *see* Arlian et al, 594
Soter NA *see* Bickers et al, 983
— *see* Gigli et al, 948
Spear KL *see* Dicken et al, 500
Spiller RF *see* Spiller and Spiller, 808
Spiller WF, Spiller RF: Treatment of basal cell epithelioma by curettage and electrodesiccation, 808

- Spraker M, Stein DH, Rasmussen JE: Society for Pediatric Dermatology, Eighth Annual Meeting, Kiawah Island, SC, July 12-23, 1983, 152
- Stall JR *see* Slazinski et al, 140 (Correspondence)
- Starink TM: Cowden's disease: Analysis of fourteen new cases, 1127 (Clinical review)
- Statham BN, Ryatt KS, Rowell NR: Anthralin therapy for psoriasis, 303 (Correspondence)
- Staus ME, Bergfeld WF: Treatment of oral lichen planus with low-dose isotretinoin, 527 (Correspondence)
- Stegman SJ, Tromovitch TA, Glogau RG: Reply to Leneck CM: Collagen concentration in Zyderm, 663 (Correspondence)
- Steigbigel RT *see* Schwartz et al, 377
- Stein DH *see* Spraker et al, 152
- Steinberger E *see* Nader et al, 256
- Steinmetz SE, Deng J-S, Rubin RL, Sontheimer RD, Gilliam JN: Reevaluation of specificity of *Crithidia luciliae* kinetoplast as a substrate for detecting antibodies to double-stranded deoxyribonucleic acid, 490
- Stern RS, Bishop L: Reply to Cohen LE: Drug eruption secondary to trazodone, 527 (Correspondence)
- : Reply to Bargman H: Lack of cross-sensitivity between tetracycline, doxycycline, and minocycline with regard to fixed drug sensitivity to tetracycline, 901 (Correspondence)
- *see* Diette et al, 441
- *see* Kopf et al, 674 (Special article)
- Stevens SR *see* Heskel et al, 422
- Stewart WD *see* Tullis et al, 364
- Stocker WW: Hand dermatitis and psychosomatic factors, 523 (Correspondence)
- Storrs FJ, member, ad hoc committee; environmental reactions to chemical, physical, and biologic agents, 1007
- : Permanent wave contact dermatitis: Contact allergy to glyceryl monothioglycolate, 74
- Stranieri AM *see* Strauss and Stranieri, 86
- Stratte PT *see* Todes-Taylor et al, 216
- Strauss JS, Stranieri AM: Acne treatment with topical erythromycin and zinc: Effect on *Propionibacterium acnes* and free fatty acid composition, 86
- Stricks J: AIDS in the general population, 301 (Correspondence)
- Su WPD, Buechner SA, Li C-Y: Clinicopathologic correlations in leukemia cutis, 121
- *see* Finan et al, 788
- *see* Greene et al, 781
- *see* Venencie et al, 128
- Suskind RR, member, ad hoc committee; environmental reactions to chemical, physical, and biologic agents, 1007
- Sussman EJ, McMahon F, Wright D, Friedman HM: Cutaneous cryptococcosis without evidence of systemic involvement, 371
- Swaminathan R *see* Shelley et al, 260
- Swanson NA *see* Vanderveen et al, 416
- Sweet DL *see* Massa et al, 333
- Sweren RJ: Management of congenital nevocytic nevi: A survey of current practices, 629 (Current issues)
- T**
- Taft EH: Measurement of cure rate in onychomycosis, 664 (Correspondence)
- Takahashi S *see* Hashimoto et al, 447
- Taplin D *see* Feingold and Taplin, 971
- Tauscheck AL *see* Schorr et al, 1043
- Taylor JS, member, ad hoc committee; environmental reactions to chemical, physical, and biologic agents, 1007
- , Parrish JA, Blank IH, and the ad hoc committee on environmental reactions: Environmental reactions to chemical, physical, and biologic agents, 1007
- Thiel ML *see* Heskel et al, 422
- Thiers BH: Articles selected from the nondermatologic literature of interest to dermatologists, 269
- *see* Epstein et al, 1151
- *see* Galbraith et al, 224
- Thorne EG, Shea LM, Mezick JA: Lack of comedogenicity of tretinoin creams, 902 (Correspondence)
- Todes-Taylor N, Turner R, Wood GS, Stratte PT, Morhehn VB: T cell subpopulations in alopecia areata, 216
- Torres VM *see* Sánchez and Torres, 235, 238
- Trancik RJ *see* Dahl et al, 474
- Trau H *see* Kahana et al, 299 (Correspondence)
- *see* Schewach-Millet and Trau, 374
- Tromovitch TA *see* Stegman et al, 663 (Correspondence)
- Tschen JA *see* Lumpkin et al, 735
- *see* Rosen et al, 433
- Tucker SB *see* Jackson et al, 1065
- Tuckett RP, Denman ST, Chapman CR, Gilchrist BA, Kraning KK, Sato K: Pruritus, cutaneous pain, and eccrine gland and sweating disorders, 1000
- Tuffanelli DL *see* James et al, 1111
- Tullis GD, Lynde CW, McLean DI, Stewart WD: Multiple melanomas occurring in a patient with xeroderma pigmentosum, 364
- Tung HE *see* Chen et al, 461
- Turner MLC *see* McCormack et al, 397
- Turner R *see* Todes-Taylor et al, 216
- Tyler W *see* Miller and Tyler, 367
- U**
- Ucci A *see* Bhawan et al, 743
- *see* Schaumburg-Lever et al, 1087
- Uitto J *see* Abergel et al, 1142 (Dermatologic surgery)
- *see* Oikarinen et al, 64
- *see* Pinnell et al, 990
- V**
- Vanderveen EE, Ellis CN, Kang S, Case P, Headington JT, Voorhees JJ, Swanson NA: Topical minoxidil for hair regrowth, 416
- Van Scott EJ, Yu RJ: Hyperkeratinization, corneocyte cohesion, and alpha hydroxy acids, 867 (Therapy)
- Venencie PY, Powell FC, Su WPD, Perry HO: Scleredema: A review of thirty-three cases, 128
- , Winkelmann RK, Friedman SJ, Kyle RA, Puissant A: Monoclonal gammopathy and mycosis fungoides, 576
- Vermeer BJ *see* Willemze et al, 832
- Virella G *see* Chen et al, 461
- Voorhees JJ: The dermatologist as practitioner of science and art: Bridging the credibility gap, 889 (Editorial)
- *see* Bickers et al, 983
- *see* Fairley et al, 740
- *see* Krueger et al, 937
- *see* Vanderveen et al, 416
- *see* Wong et al, 1076

W

- Wallace HJ *see* Androphy et al, 197
Walk S, Farney E, Gentry W, Golitz LE: Noah Worcester Dermatological Society, Twenty-sixth Annual Meeting, Scottsdale, AZ, March 6-12, 1983, 1175
Wang A-C *see* Chen et al, 461
Watanabe T *see* Imamoto et al, 357
Weary PE: Prevention of skin disease, 1022
Weigand DA: The lupus band test: A re-evaluation, 230
— *see* Epstein et al, 1151
Weigensberg IJ *see* Shelley et al, 53
Weinstein GD *see* Krueger et al, 937
Weiss SR, Lim HW, Curtis G: Slate-gray pigmentation of sun-exposed skin induced by amiodarone, 898 (Correspondence)
Welch EA *see* Alper et al, 858
Wheeler CE Jr *see* Gammon et al, 820
White CR Jr *see* Shaw and White, 454
White SW: Italian Society of Dermatology and Venereology, Sixtieth Congress, May 12-14, 1983, 531
— *see* James et al, 847
Wilbur RS: Medicine 1984: A profession, not a business, 135 (Editorial)
Wilkerson MG, Henkin J, Wilkin JK: Diphenylcyclopropenone: Examination for potential contaminants, mechanisms of sensitization, and photochemical stability, 802
Wilkin JK *see* Wilkerson et al, 802
Willemze R, Vermeer BJ, Meijer CJLM: Immunohistochemical studies in lymphocytic infiltration of the skin (Jessner) and discoid lupus erythematosus, 832
Winkelmann RK *see* Buzzanga et al, 880 (Dermatopathology)
— *see* Venencie et al, 576
Wolf D, Wolf R: Simultaneous alopecia areata in two siblings, 897 (Correspondence)
Wolf R *see* Wolf and Wolf, 897 (Correspondence)
Wolff JM *see* Eells et al, 105
Wolff K *see* Pehamberger et al, 731
Wong AK, Huang S-W, Burnett JW: Hypersensitivity to rat saliva, 606

- Wong RC, Fairley JA, Ellis CN: Dermographism: A review, 643 (Clinical review)
—, Kang S, Heezen JL, Voorhees JJ, Ellis CN: Oral ibuprofen and tetracycline for the treatment of acne vulgaris, 1076
Wood GS *see* Todes-Taylor et al, 216
Wood WS *see* Lynde et al, 841
Woodley DT, Berzin M: *Les Journées Dermatologiques de Paris*: A report of the French Dermatology Society meeting and personal perspectives, 311
— *see* Gammon et al, 820
Wright D *see* Sussman et al, 371

Y

- Yamada M *see* Imamura et al, 203
Yamamoto K *see* Imamura et al, 203
Yamamura T, Aozasa K, Sano S: Reply to Rebora A, Crovato F, Bertamino R, Nunzi E: Baccaredda-Sézary syndrome, 907 (Correspondence)
Yanklowitz B *see* James et al, 847
Yaron M *see* Brenner et al, 1161 (Correspondence)
Yohn JJ *see* Camisa et al, 1164 (Correspondence)
Yoshioka A *see* Horio et al, 1094
Yu RJ *see* Van Scott and Yu, 867 (Therapy)
Yuspa S *see* Epstein et al, 960

Z

- Zachariae H *see* Foged et al, 580
Zackheim HS: Is "localized epidermotropic reticulosis" (Woringer-Kolopp disease) benign? 276 (Current issues)
—: Localized epidermotropic reticulosis, 904 (Correspondence)
Zaia N: Reply to Taft EH: Measurement of cure rate in onychomycosis, 665 (Correspondence)
Zelickson AS *see* Burket and Zelickson, 639 (Dermatopathology)
Ziboh VA *see* Bickers et al, 983
Zitelli JA, Grant MG, Abell E, Boyd JB: Histologic patterns of congenital nevocytic nevi and implications for treatment, 402

Subject index

A

- Abnormalities, liver, in patients with lichen planus (Korkij et al), 609
Acantholysis of Auspitz, modern textbooks of dermatopathology and (King), 301 (Correspondence)
reply (Lever), 302 (Correspondence)
Acantholytic dermatosis, transient, association of, with other skin diseases (Grover and Rosenbaum), 253
Acids, alpha hydroxy, corneocyte cohesion, and hyperkeratinization (Van Scott and Yu), 867 (Therapy)
July, pp. 1-164; August, part 1, pp. 165-326; August, part 2, pp. 327-380; September, pp. 381-540; October, part 1, pp. 541-708; October, part 2, pp. 709-762; November, part 1, pp. 763-926; November, part 2, pp. 927-1024; December, pp. 1025-1202.

- Acne (Shalita and Freinkel), 957
and hyperandrogenism: impact of lowering androgen levels with glucocorticoid treatment (Nader et al), 256
inflammation and, Society for Pediatric Dermatology (Spraker et al), 155
isotretinoin used in United States for treatment of; retinoids: review (Dicken), 541
and related conditions; dermatologic therapy (Coskey), 25
treatment with topical erythromycin and zinc: effect on *Propionibacterium acnes* and free fatty acid composition (Strauss and Stranieri), 86
vulgaris, oral ibuprofen and tetracycline for treatment of (Wong et al), 1076
Acral keratoses in Cowden's disease (Starink), 1127 (Clinical review)

- Acrodermatitis continua of Hallopeau: treatment with etretinate and review of relapsing pustular eruptions of hands and feet (Pearson et al), 755
- enteropathica and Crohn's disease (Bailly et al), 525 (Correspondence)
- Acropustulosis, infantile (Lucky and McGuire), 894 (Correspondence)
- and antecedent scabies (Elpern), 895 (Correspondence)
- reply (Kahn), 896 (Correspondence)
- "Actinic" porokeratosis, disseminated superficial (Schwarz et al), 724
- Adenoma, ceruminous; tumors of ceruminous glands (Lynde et al), 841
- tubular apocrine, with perineural invasion (Burket and Zelickson), 639 (Dermatopathology)
- Aging (Gilchrist), 995
- skin lines (wrinkles), collagen injections for (Rapaport et al), 250
- Ah receptor for dioxin, location of (Shear and Okey), 663 (Correspondence)
- reply (Dunagin), 664 (Correspondence)
- AIDS in general population (Stricks), 301 (Correspondence)
- reply (Grekin), 301 (Correspondence)
- Albinism, oculocutaneous, dysplastic nevus syndrome with multiple primary amelanotic melanomas in (Pehamberger et al), 731
- Allergic contact dermatitis to compound tincture of benzoin (James et al), 847
- responses elicited by *Toxicodendron* extract, variations of, variations of test responses among subjects and comparison to; sodium lauryl sulfate irritant patch tests (Dahl et al), 474
- Allergy, contact, to glyceryl monothioglycolate; permanent wave contact dermatitis (Storrs), 74
- dermatologic therapy (Coskey), 27
- Alopecia areata: pathogenesis and treatment (Mitchell and Krull), 763
- simultaneous, in two siblings (Wolf and Wolf), 897 (Correspondence)
- reply (Mitchell), 898 (Correspondence)
- T cell subpopulations in (Todes-Taylor et al), 216
- totalis and cell-mediated immunodeficiency, open-label trial of immunomodulation therapy with inosiplex (Isoprinosine) in patients with (Galbraith et al), 224
- Alpha, antitrypsin deficiency genes; contributory defect in subset of psoriatics (Lipkin et al), 615
- American Academy of Dermatology, Forty-second Annual Meeting, Chicago, IL, Dec. 1-6, 1983 (Grekin et al), 685
- Board of Medical Specialties, role of fifty years of medical specialty certification (Ferguson and Langsley), 911 (Special article)
- Amiodarone, slate-gray pigmentation of sun-exposed skin induced by (Weiss et al), 898 (Correspondence)
- Androgen levels, impact of lowering with glucocorticoid treatment; acne and hyperandrogenism (Nader et al), 256
- Anetoderma: biochemical and ultrastructural demonstration of elastin defect in skin of three patients (Oikarinen et al), 64
- Angiolymphoid hyperplasia demonstrating extensive skin and mucosal lesions controlled with vinblastine therapy (Massa et al), 333
- Anthralin therapy for psoriasis (Satham et al), 303 (Correspondence)
- reply (Lowe), 304 (Correspondence)
- Antibiotic therapy, systemic, for ecthyma gangrenosum (Greene et al), 781
- Antibodies, antinuclear, antinucleolar, and anticentromere, in scleroderma, immune complexes and (Chen et al), 461
- and anti-Ro/SS-A, relationships between, in subacute cutaneous lupus erythematosus (Deng et al), 494
- to double-stranded deoxyribonucleic acid, reevaluation of specificity of *Crithidia luciliae* kinetoplast as substrate for detecting (Steinmetz et al), 490
- to Merkel cells in human sera (Mérot et al), 568
- Antitrypsin, alpha₁-deficiency genes; contributory defect in subset of psoriatics? (Lipkin et al), 615
- Apocrine adenoma, tubular, with perineural invasion (Burket and Zelickson), 639 (Dermatopathology)
- Aqueous vehicle, evaporation of, influences inflammatory response; sodium lauryl sulfate irritant patch tests (Dahl and Roering), 477
- Arachidonic acid, epidermal, in vitro evidence that glucagon increases; glucagonoma syndrome (Peterson et al), 468
- Argon laser therapy, treatment technics in (Arndt), 90
- Art, science and, dermatologist as practitioner of; bridging credibility gap (Voorhees), 889 (Editorial)
- Arthritis developing in patients with multicentric reticulohistiocytosis (Leshner and Allen), 713
- Arthropod bite reactions, histologic and clinical features; eosinophilic cellulitis (Wells' syndrome) (Schorr et al), 1043
- Atopic parents, elevated umbilical cord blood leukocyte cyclic adenosine monophosphate-phosphodiesterase activity in children with (Heskel et al), 422
- Atopy, role of, in alopecia areata (Mitchell and Krull), 763
- Auricle, pseudocyst of (Glamb and Kim), 58
- Auspitz, acantholysis of, modern textbooks of dermatopathology and (King), 301 (Correspondence)
- reply (Lever), 302 (Correspondence)
- Autoimmune pathogenesis for alopecia areata (Mitchell and Krull), 763
- phenomena established or suspected in nonmalignant diseases, use of cyclophosphamide (Cytoxan) for (Ahmed and Homball), 1115 (Therapy)

B

- Baccaredda-Sézary syndrome (Rebora et al), 907 (Correspondence)
- reply (Yamamura et al), 907 (Correspondence)
- Bacterial infections and infestations of skin (Feingold and Taplin), 971
- Baldness, common, inheritance of: two B or not two B (Küster and Happle), 921 (Commentary)
- Basal cell carcinoma, basalioma and (Ruocco and Ayala), 1161 (Correspondence)
- reply (Davidson), 1161 (Correspondence)
- cutaneous, evaluation of cytodiagnosis of (Gordon and Orell), 1082
- in man with acquired immunodeficiency syndrome (Slazinski et al), 140 (Correspondence)
- epithelioma, treatment of, by curettage and electrodesiccation (Spiller and Spiller), 808
- Basement membrane zone, epidermal—structure, ontogeny, and role in disease (Katz), 1025
- Basic science in dermatology training; practitioner's view (Fisher), 661 (Editorial)
- β -Carotene, absence of crystalline retinopathy after long-term therapy with (Poh-Fitzpatrick and Barbera), 111
- Benzoin, compound tincture of, allergic contact dermatitis to (James et al), 847

- Benzylhydrochlorothiazide-induced new lesions accompanied by eosinophilic spongiolysis; porokeratosis of Mibelli (Inamoto et al), 357
- Bibliography, annotated, for dermatologists (Thiers), 269
- Biologic, chemical, and physical agents, environmental reactions to (Taylor et al), 1007
- effectiveness, different, of blacklight fluorescent lamps available for therapy with psoralens plus ultraviolet A (Cole et al), 599
- Biology, skin, immunoperoxidase methods and advances in (Penneys), 284 (Clinical review)
- Birth defects, dermatologic, and congenital skin disease (Carter et al), 974
- Bite reactions, arthropod, histologic and clinical features in; eosinophilic cellulitis (Wells' syndrome) (Schorr et al), 1043
- Blacklight fluorescent lamps available for therapy with psoralens plus ultraviolet A, different biologic effectiveness of (Cole et al), 599
- Blacks, cancer of skin in; review of nineteen black patients with Bowen's disease (Mora et al), 557
- with Kaposi's sarcoma (Mora et al), 563
- Blisters, hereditary callosities with (Baden et al), 409
- Book reviews, 160, 320, 533, 689, 917, 1179
- Boric acid, diuretics and, dermatitis following ingestion of (Fisher and Middleton), 146 (Correspondence)
- Bowen's disease, review of nineteen black patients with; cancer of skin in blacks (Mora et al), 557
- Breast cancer in Cowden's disease (Starink), 1127 (Clinical review)
- fixed erythema and carcinoma of (Maibach), 1163 (Correspondence)
- British Association of Dermatologists, Sixty-fourth Annual Meeting (Brice), 897 (Correspondence)
- Bronchial reactions during psoralens and ultraviolet A (PUVA) therapy (Dromgoole), 894 (Correspondence)
- reply (Settipane), 894 (Correspondence)
- Bronchogenic cyst, cutaneous, with papilloma and sinus presentation (Miller and Tyler), 367
- Bullous dermatoses (Bean et al), 1151 (Periodic synopsis)
- lesions of leukemic infiltration observed in chronic lymphocytic leukemia; clinicopathologic correlations in leukemia cutis (Su et al), 121
- lichen planus and lichen planus pemphigoides, differentiating (Camisa et al), 1164 (Correspondence)
- reply (Nesbitt), 1166 (Correspondence)
- pemphigoid; bullous dermatoses (Bean et al), 1152 (Periodic synopsis)
- and cicatricial pemphigoid, distinguishing epidermolysis bullosa acquisita from (Gammon et al), 820
- increased frequency of diabetes mellitus in patients with: case-control study (Chuang et al), 1099
- Burn scar, calcinosis cutis in (Coskey and Mehregan), 666 (Correspondence)

C

- Calcinosis cutis in burn scar (Coskey and Mehregan), 666 (Correspondence)
- idiopathic, and vitiligo of scrotum (Feinstein et al), 519 (Correspondence)
- Callosities, hereditary, with blisters (Baden et al), 409
- Cancer chemotherapy, cyclophosphamide (Cytosan) widely used for (Ahmed and Hombal), 1115 (Therapy)

Cancer—cont'd

- of skin in blacks; review of nineteen black patients with Kaposi's sarcoma (Mora et al), 563
- in immunosuppressed organ transplant recipients (Lutzner), 891 (Editorial)
- Carbohydrates, cell surface, in psoriasis (Schaumburg-Lever et al), 1087
- Carcinogenic potential of cyclophosphamide (Cytosan) in humans (Ahmed and Hombal), 1115 (Therapy)
- Carcinoma, adenoid cystic, ceruminous adenocarcinoma and; tumors of ceruminous glands (Lynde et al), 841
- basal cell, basalioma and (Ruocco and Ayala), 1161 (Correspondence)
- reply (Davidson), 1161 (Correspondence)
- in man with acquired immunodeficiency syndrome (Slazinski et al), 140 (Correspondence)
- of breast, fixed erythema and (Maibach), 1163 (Correspondence)
- cutaneous basal cell, evaluation of cytodagnosis of (Gordon and Orell), 1082
- metastatic epidermotropic squamous cell, of vagina (Saruk et al), 353
- squamous cell (Lumpkin et al), 735
- subungual epidermoid (Mikhail), 291 (Dermatologic surgery)
- syndrome, nevoid basal cell (Howell), 98
- Cell surface carbohydrates in psoriasis (Schaumburg-Lever et al), 1087
- interactions in psoriasis (Krueger et al), 938
- Cellular composition and cellular interactions of sarcoid-involved tissues; sarcoidosis (Kerdell and Moschella), 1
- Cellulitis, eosinophilic (Wells' syndrome): histologic and clinical features in arthropod bite reactions (Schorr et al), 1043
- Cerebriform lymphocytes, nodal involvement by; lymph node histopathology in Sézary syndrome (Buzzanga et al), 880 (Dermatopathology)
- Ceruminous glands, tumors of (Lynde et al), 841
- Chemical agents, harmful, reactions to; prevention of skin disease (Weary), 1022
- composition for saltpeter (Holloway), 309 (Correspondence)
- reply (Patterson), 309 (Correspondence)
- physical, and biologic agents, environmental reactions to (Taylor et al), 1007
- Chemosurgery, Mohs', osteomyelitis complicating (Snyder et al), 513 (Dermatologic surgery)
- Chemotherapy, cancer, cyclophosphamide (Cytosan) widely used for (Ahmed and Hombal), 1115 (Therapy)
- Childhood, chronic bullous dermatosis of; bullous dermatoses (Bean et al), 1157 (Periodic synopsis)
- onset porphyria cutanea tarda, hepatoerythropoietic porphyria variant of (Lim and Poh-Fitzpatrick), 1103
- Children, genital warts and sexual abuse in, 529 (Special report)
- Cicatricial pemphigoid; bullous dermatoses (Bean et al), 1153 (Periodic synopsis)
- pemphigoid, distinguishing epidermolysis bullosa acquisita from (Gammon et al), 820
- Cinnarizine, cyproheptadine, doxepin, and hydroxyzine, comparison of, in treatment of idiopathic cold urticaria; usefulness of doxepin (Neittaanmäki et al), 483
- Clinicopathologic correlations in leukemia cutis (Su et al), 121
- Collagen concentration in Zyderm (Leneck), 663 (Correspondence)
- replies (Stegman et al; Pharris), 663 (Correspondence)
- connective tissue diseases (Pinnell et al), 990
- diseases and vasculitis; dermatologic therapy (Coskey), 28
- injections for aging skin lines (wrinkles) (Rapaport et al), 250

- Comedogenicity, rabbit ear and (Rapaport), 306 (Correspondence)
replies (Peck, 307; Fulton, 307; Krochmal, 308; Shalita, 308; Fulton, 308) (Correspondence)
of tretinoin creams, lack of (Thorne et al), 902 (Correspondence)
reply (Fulton), 904 (Correspondence)
- Complement factor 6 deficiency associated with lupus (Mooney), 896 (Correspondence)
- Concanavalin A, fluorescein-conjugated, fixed-tissue binding of, to malignant melanomas versus nevi (Miller and Barr), 620
- Congenital nevocytic nevi, histologic patterns of, and implications for treatment (Zitelli et al), 402
management of; survey of current practices (Sweren), 629 (Current issues)
response (Kopf), 633 (Current issues)
- papillated apocrine cystadenoma: mixed form of hidrocystoma, hidradenoma papilliferum, and syringocystadenoma papilliferum (Schewach-Millet and Trau), 374
self-healing reticulohistiocytosis (Hashimoto et al), 447
skin disease, dermatologic birth defects and (Carter et al), 974
smooth muscle hamartoma (Berger and Levin), 709
- Connective tissue diseases (Pinnell et al), 990
metabolism by lasers, control of: recent developments and future prospects (Abergel et al), 1142 (Dermatologic surgery)
- Contact dermatitis, allergic, to compound tincture of benzoin (James et al), 847
permanent wave; contact allergy to glyceryl monothioglycolate (Storrs), 74
urticaria, mechanism of action of eugenol and *d*-limonene in (Rietschel), 521 (Correspondence)
reply (Guin), 521 (Correspondence)
- Contaminants, potential, mechanisms of sensitization, and photochemical stability, examination for; diphenylcyclopropanone (Wilkerson et al), 802
- Continuing medical education examination, 20, 192, 393, 553, 776, 1038
answers, 22, 194, 392, 552, 778, 1040
- Corneocyte cohesion, hyperkeratinization, and alpha hydroxy acids (Van Scott and Yu), 867 (Therapy)
- Cornoid lamella formation in porokeratosis plantaris palmaris et disseminata (Shaw and White), 454
- Correction to Arndt KA: Treatment techniques in argon laser therapy (11:90-97, 1984), 598
Flynn TC, Harrist TJ, Murphy GF, et al: Neutrophilic eccrine hidradenitis (11:584-590, 1984), 926
Holubar K: Letter to Editor (11:145-146, 1984), 926
- Corticosteroids, systemic, effective therapeutic agents for sarcoidosis (Kerdell and Moschella), 1
- Cosmetic Ingredient Review, safety evaluation program (Elder), 1168 (Special report)
- Cotton swab technic for culture of dermatophyte infections—efficacy and merit (Head et al), 797
- Council of Medical Specialty Societies, John S. Strauss, M.D., elected president-elect of (Smith), 1160 (Editorial)
- Cowden's disease: analysis of fourteen new cases (Starink), 1127 (Clinical review)
- Credibility gap, bridging; dermatologist as practitioner of science and art (Voorhees), 889 (Editorial)
- Crithidia luciliae* kinetoplast, reevaluation of specificity of, as substrate for detecting antibodies to double-stranded deoxyribonucleic acid (Steinmetz et al), 490
- Crohn's disease, acrodermatitis enteropathica and (Bailey et al), 525 (Correspondence)
- Cryptococcosis, cutaneous, without evidence of systemic involvement (Sussman et al), 371
- Culture of dermatophyte infections, cotton swab technic for—efficacy and merit (Head et al), 797
- Cure rate in onychomycosis, measurement of (Taft), 664 (Correspondence)
reply (Zaias), 665 (Correspondence)
- Curettage and electrodesiccation, treatment of basal cell epithelioma by (Spiller and Spiller), 808
- Current issues, 276, 629
- Cutaneous basal cell carcinoma, evaluation of cytodiagnosis of (Gordon and Orell), 1082
bronchogenic cyst with papilloma and sinus presentation (Miller and Tyler), 367
cryptococcosis without evidence of systemic involvement (Sussman et al), 371
findings in hairy cell leukemia (Finan et al), 788
pain, pruritus, and eccrine gland and sweating disorders (Tuckett et al), 1000
ulcers and nodules, factitial: use of electron-probe microanalysis in diagnosis (Jackson et al), 1065
use of vapor permeable membrane for; details of application and side effects (Alper et al), 858
- Cyclic nucleotides, role of, in control of epidermal cell proliferation and differentiation in psoriasis (Krueger et al), 942
- Cyclophosphamide (Cytosan) (Ahmed and Hombal), 1115 (Therapy)
- Cyproheptadine, cinnarizine, doxepin, and hydroxyzine, comparison of, in treatment of idiopathic cold urticaria: usefulness of doxepin (Neittaanmäki et al), 483
- Cyst, combined epidermoid (epidermal) and trichilemmal (pilar) (Okun), 141 (Correspondence)
reply (Brownstein), 141 (Correspondence)
cutaneous bronchogenic, with papilloma and sinus presentation (Miller and Tyler), 367
- Cystadenoma, congenital papillated apocrine: mixed form of hidrocystoma, hidradenoma papilliferum, and syringocystadenoma papilliferum (Schewach-Millet and Trau), 374
- Cytarabine therapy and acute leukemia, distinctive rash associated with; neutrophilic eccrine hidradenitis (Flynn et al), 584
- Cytodiagnosis of cutaneous basal cell carcinoma, evaluation of (Gordon and Orell), 1082
- Cytomegalovirus infection, vesiculobullous lesions caused by, in immunocompromised adult (Bhawan et al), 743
- Cytosan (cyclophosphamide) (Ahmed and Hombal), 1115 (Therapy)

D

- Dapsone, annular subacute cutaneous lupus erythematosus responsive to (McCormack et al), 397
- Deficiency genes, alpha₁-antitrypsin; contributory defect in subset of psoriatics? (Lipkin et al), 615
- Demarcation lines, pigmentary, associated with pregnancy (James et al), 438
- Demographics in psoriasis (Krueger et al), 937
- Deoxyribonucleic acid, double-stranded, reevaluation of specificity of *Crithidia luciliae* kinetoplast as substrate for detecting antibodies to (Steinmetz et al), 490
- Dermatitis, allergic contact, to compound tincture of benzoin (James et al), 847
dermatologic therapy (Coskey), 29
following ingestion of diuretics and boric acid (Fisher and Middleton), 146 (Correspondence)

Dermatitis—cont'd

- hand, and psychosomatic factors (Stocker), 523 (Correspondence)
reply (Epstein), 524 (Correspondence)
- herpetiformis; bullous dermatoses (Bean et al), 1155 (Periodic synopsis)
- poison oak—miners' itch, report of unusual case of (Petrone), 142 (Correspondence)
- superficial and deep spongiotic, in woman taking piroxicam (Serano et al), 113
- Dermatologic birth defects and congenital skin disease (Carter et al), 974
- needs in drugs and instrumentation (Bickers et al), 983
- prescriptions requiring compounding (Smith et al), 148 (Special report)
- Society, Noah Worcester (Wallk et al), 1175
- therapy: December, 1982, through November, 1983 (Coskey), 25
- Dermatologist(s), periodic synopses for (Epstein et al), 1151
- as practitioner of science and art: bridging credibility gap (Voorhees), 889 (Editorial)
- Dermatology, analysis of needs and priorities in; introduction (Odland), 928
- president's note (Dobson), 927
- and dermatopathology, criteria for diagnosis in; critical evaluation (Lambert and Lambert), 669 (Special article)
- Pediatric, Society for, Eighth Annual Meeting, Kiawah Island, SC, July 12-23, 1983, 152
- Dermatomyositis, Society for Pediatric Dermatology (Spraker et al), 154
- Dermatopathology and acantholysis of Auspitz, modern textbooks of (King), 301 (Correspondence)
reply (Lever), 302 (Correspondence)
- dermatology and, criteria for diagnosis in; critical evaluation (Lambert and Lambert), 669 (Special article)
- Dermatophyte infections, cotton swab technic for culture of—efficacy and merit (Head et al), 797
- Dermatosis, transient acantholytic, association of, with other skin diseases (Grover and Rosenbaum), 253
- Dermographism: review (Wong et al), 643 (Clinical review)
- Diabetes mellitus, increased frequency of, in patients with bullous pemphigoid: case-control study (Chuang et al), 1099
- presence or absence of, in scleredema (Venencie et al), 128
- Dioxin, location of Ah receptor for (Shear and Okey), 663 (Correspondence)
reply (Dunagin), 664 (Correspondence)
- Diphenylcyclopropenone: examination for potential contaminants, mechanisms of sensitization, and photochemical stability (Wilkerson et al), 802
- Discoid lupus erythematosus, immunohistochemical studies in lymphocytic infiltration of skin (Jessner and Willemze et al), 832
- Disease(s), congenital skin, dermatologic birth defects and (Carter et al), 974
- connective tissue (Pinnell et al), 990
- Cowden's: analysis of fourteen new cases (Starink), 1127 (Clinical review)
- dermatologic, prevalence, morbidity, and cost of (Johnson et al), 930
- eczematous and immunologic (Gigli et al), 948
- skin, prevention of (Weary), 1022
- structure, ontogeny, and role in disease—epidermal basement membrane zone (Katz), 1025
- Diuretics and boric acid, dermatitis following ingestion of (Fisher and Middleton), 146 (Correspondence)

- Doxepin, cinnarizine, cyproheptadine, and hydroxyzine, comparison of, in treatment of idiopathic cold urticaria: usefulness of doxepin (Neittaanmäki et al), 483
- Doxycycline, minocycline, and tetracycline, lack of cross-sensitivity between, with regard to fixed drug sensitivity to tetracycline (Bargman), 900 (Correspondence)
reply (Stern), 901 (Correspondence)
- Drug(s) eruption(s) presenting at sites of prior radiation damage (sunlight and electron beam) (Shelley et al), 53
- secondary to trazodone (Cohen), 526 (Correspondence)
reply (Stern and Bishop), 527 (Correspondence)
- and instrumentation, dermatologic needs in (Bickers et al), 983
- reactions; prevention of skin disease (Weary), 1023
- Dysplastic nevus syndrome with multiple primary amelanotic melanomas in oculocutaneous albinism (Pehamberger et al), 731

E

- Eccrine gland and sweating disorders, pruritus, and cutaneous pain (Tuckett et al), 1000
- hidradenitis, neutrophilic; distinctive rash associated with cytarabine therapy and acute leukemia (Flynn et al), 584
- Eccrinity—costs for caring for patients with psoriasis (Krueger et al), 937
- Ecthyma gangrenosum: report of clinical, histopathologic, and bacteriologic aspects of eight cases (Greene et al), 781
- Eczematous and immunologic diseases (Gigli et al), 948
- Elastic fibers; connective tissue diseases (Pinnell et al), 991
- Elastin defect in skin of three patients, biochemical and ultrastructural demonstration of; anetoderma (Oikarinen et al), 64
- Electrodesiccation, curettage and, treatment of basal cell epithelioma by (Spiller and Spiller), 808
- Electron-probe microanalysis, use of, in diagnosis of factitial cutaneous ulcers and nodules (Jackson et al), 1065
- Emotional stress, pemphigus vulgaris triggered by (Brenner and Bar-Nathan), 524 (Correspondence)
- Endocrinology and acne, trends in, Society for Pediatric Dermatology (Spraker et al), 155
- Environmental reactions to chemical, physical, and biologic agents (Taylor et al), 1007
- Eosinophilic cellulitis (Wells' syndrome): histologic and clinical features in arthropod bite reactions (Stern et al), 1043
- Epidermal arachidonic acid, in vitro evidence that glucagon increases; glucagonoma syndrome (Peterson et al), 468
- basement membrane zone—structure, ontogeny, and role in disease (Katz), 1025
- cell proliferation and differentiation in psoriasis (Krueger et al), 937
- Epidermodysplasia verruciformis, response of warts in, to treatment with systemic and intralesional alpha interferon (Androphy et al), 197
- Epidermoid carcinoma, subungual (Mikhail), 291 (Dermatologic surgery)
- (epidermal) and trichilemmal (pillar) cyst, combined (Okun), 141 (Correspondence)
reply (Brownstein), 141 (Correspondence)
- Epidermolysis bullosa acquisita—pemphigoid-like disease (Gammon et al), 820
- bullous dermatoses (Bean et al), 1157 (Periodic synopsis)
- Epidermotropic reticulosis, localized (Zackheim), 904 (Correspondence)
- (Woringer-Kolopp disease), is it benign? (Zackheim), 276 (Current issues)
- response (Mandojana and Helwig), 279 (Current issues)

Epidermotropic—cont'd

- squamous cell carcinoma, metastatic, of vagina (Saruk et al), 353
- Epithelioma, basal cell, treatment of, by curettage and electrodesiccation (Spiller and Spiller), 808
- Eruptions, drug, presenting at sites of prior radiation damage (sunlight and electron beam) (Shelley et al), 53
- vesiculobullous; dermatologic therapy (Coskey), 43
- Erythema, fixed, and carcinoma of breast (Maibach), 1163 (Correspondence)
- Erythromycin, topical, and zinc, acne treatment with; effect on *Propionibacterium acnes* and free fatty acid composition (Strauss and Stranieri), 86
- Etretinate available in Europe and other countries for psoriasis; retinoids: review (Dicken), 541
- therapy, excess granulation tissue during (Hodak et al), 1166 (Correspondence)
- treatment of acrodermatitis continua of Hallopeau with, and review of relapsing pustular eruptions of hands and feet (Pearson et al), 755
- histologic changes in liver during (Foged et al), 580
- Eugenol and *d*-limonene in contact urticaria, mechanism of action of (Rietschel), 521 (Correspondence)
- reply (Guin), 521 (Correspondence)
- Exercise, strenuous, with isotretinoin (Del Campo), 301 (Correspondence)

F

- Factitial cutaneous ulcers and nodules: use of electron-probe microanalysis in diagnosis (Jackson et al), 1065
- Fibrofolliculoma, solitary (Scully et al), 361
- Fibroma of tendon sheath (Cooper), 625
- Fluorescein-conjugated concanavalin A, fixed-tissue binding of, to malignant melanomas versus nevi (Miller and Barr), 620
- Fluorescent lamps, blacklight, available for therapy with psoralens plus ultraviolet A, different biologic effectiveness of (Cole et al), 599
- French Dermatology Society meeting and personal perspectives (Woodley and Berzin), 311
- Fungal infections; infections and infestations of skin (Feingold and Taplin), 973

G

- Gammopathy, monoclonal, and mycosis fungoides (Venencie et al), 576
- Gans, Oscar (1888-1983) (Hollander), 162 (Epitaph)
- Genes, alpha₁-antitrypsin; contributory defect in subset of psoriatics? (Lipkin et al), 615
- Genetically abnormal melanocytes, can they result in both vitiligo and melanoma within single family; vitiligo and melanoma (Lerner and Kirkwood), 696 (Commentary)
- Genetics in patients with psoriasis (Krueger et al), 940
- role of, in alopecia areata (Mitchell and Krull), 763
- Genital warts and sexual abuse in children, 529 (Special report)
- Gingival hypertrophy in patients with acute monocytic leukemia or acute myelomonocytic leukemia; clinicopathologic correlations in leukemia cutis (Su et al), 121
- Glucagonoma syndrome; in vitro evidence that glucagon increases epidermal arachidonic acid (Peterson et al), 468
- Glucocorticoid treatment, impact of lowering androgen levels with; acne and hyperandrogenism (Nader et al), 256
- Glucocorticosteroids; dermatologic needs in drugs and instrumentation (Bickers et al), 984

- Glyceryl monothioglycolate, contact allergy to; permanent wave contact dermatitis (Storrs), 74
- Gnathostomiasis, or larva migrans profundus (Feinstein and Rodriguez-Valdes), 738
- Gold as steroid-sparing agent in series of thirteen patients; results of treatment of pemphigus vulgaris with (Poulin et al), 851
- Graft-versus-host disease in immunodeficient patients; new insight into causes of immunodeficiency disorders (Ammann), 653 (Clinical review)
- Granulation tissue, excess, during etretinate therapy (Hodak et al), 1166 (Correspondence)
- Granuloma(s), inguinale (Rosen et al), 433
- noncaseating, sarcoidosis characterized by (Kerdell and Moschella), 1

H

- Hair disorders; dermatologic therapy (Coskey), 30
- regrowth, topical minoxidil for (Vanderveen et al), 416
- syndrome, low-sulfur, associated with UVB photosensitivity and testicular failure (Lucky et al), 340
- Hairy cell leukemia, cutaneous findings in (Finan et al), 788
- Hallopeau, acrodermatitis continua of; treatment with etretinate and review of relapsing pustular eruptions of hands and feet (Pearson et al), 755
- Hamartoma, congenital smooth muscle (Berger and Levin), 709
- Hand dermatitis and psychosomatic factors (Stocker), 523 (Correspondence)
- reply (Epstein), 524 (Correspondence)
- Hemosiderin tattoo associated with perforator vein incompetence; lichen aureus (Shelley et al), 260
- Hepatitis, chronic active, lichen planus and (Rebora and Rongioletti), 142 (Correspondence)
- reply (Powell et al), 142 (Correspondence)
- B, protection from (McBurney), 909 (Queries)
- replies (Smith; Sebben), 909 (Queries)
- Hepatoerythropoietic porphyria: variant of childhood-onset porphyria cutanea tarda (Lim and Poh-Fitzpatrick), 1103
- Hereditary callosities with blisters (Baden et al), 409
- Herpes gestationis; bullous dermatoses (Bean et al), 1154 (Periodic synopsis)
- simplex; infections and infestations of skin (Feingold and Taplin), 971
- and varicella zoster, clinical features and consequences of described; varicella-zoster virus (Liesegang), 165
- zoster and occult malignancy (Fueyo and Lookingbill), 480
- ophthalmicus; varicella-zoster virus (Liesegang), 165
- Heterogeneity, T cell subset, in series of patients with mycosis fungoides and Sézary syndrome (Piepkorn et al), 427
- Hidradenitis, neutrophilic eccrine; distinctive rash associated with cytarabine therapy and acute leukemia (Flynn et al), 584
- suppurativa, evaluation of isotretinoin treatment of (Dicken et al), 500
- Hidradenoma papilliferum, hidrocystoma, and syringocystadenoma papilliferum; congenital papillated apocrine cystadenoma (Schewach-Millet and Trau), 374
- Hidrocystoma, hidradenoma papilliferum, and syringocystadenoma papilliferum, mixed form of; congenital papillated apocrine cystadenoma (Schewach-Millet and Trau), 374
- Histologic changes in liver during etretinate treatment (Foged et al), 580

- Hydroxyzine, comparison of cinnarizine, cyproheptadine, doxepin, and, in treatment of idiopathic cold urticaria: usefulness of doxepin (Neittaanmäki et al), 483
- Hyperandrogenism, acne and: impact of lowering androgen levels with glucocorticoid treatment (Nader et al), 256
- Hyperkeratinization, corneocyte cohesion, and alpha hydroxy acids (Van Scott and Yu), 867 (Therapy)
- Hyperplasia, angiolymphoid, demonstrating extensive skin and mucosal lesions controlled with vinblastine therapy (Massa et al), 333
- Hypersensitivity to rat saliva (Wong et al), 606

I

- Ibuprofen, oral, and tetracycline for treatment of acne vulgaris (Wong et al), 1076
- Ichthyosis, Seminar on, Society for Pediatric Dermatology (Spraker et al), 152
- Ifosfamide, cytotoxic activity; cyclophosphamide (Cytoxan) (Ahmed and Hombal), 1115 (Therapy)
- Immune complexes and antinuclear, antinucleolar, and anticentromere antibodies in scleroderma (Chen et al), 461
- deficiency states and enzymatic defects; prevention of skin disease (Weary), 1023
- Immunization, active and: passive; varicella-zoster virus (Liesegang), 165
- Immunodeficiency, cell-mediated, open-label trial of immunomodulation therapy with inosiplex (Isoprinosine) in patients with alopecia totalis and (Galbraith et al), 224
- disorders, new insight into causes of (Ammann), 653 (Clinical review)
- syndrome, acquired, basal cell carcinoma in man with (Slazinski et al), 140 (Correspondence)
- Immunofluorescence, indirect, use of, in lupus erythematosus/lichen planus overlap syndrome: additional diagnostic clue (Camisa et al), 1050
- study; lupus band test (Weigand), 230
- systemic lupus erythematosus, in case of relapsing polychondritis, bandlike pattern resembling (Brenner et al), 1161 (Correspondence)
- Immunohistochemical studies in lymphocytic infiltration of skin (Jessen) and discoid lupus erythematosus (Willemze et al), 832
- Immunologic aberrations in sarcoidosis (Kerdell and Moschella), 1 and eczematous diseases (Gigli et al), 948
- responsiveness, severely deficient, demonstrated by cutaneous and extracutaneous infections in hairy cell leukemia (Finan et al), 788
- Immunology, inflammation and, in patients with psoriasis (Krueger et al), 940
- Immunomodulation therapy, open-label trial of, with inosiplex (Isoprinosine) in patients with alopecia totalis and cell-mediated immunodeficiency (Galbraith et al), 224
- Immunoperoxidase methods and advances in skin biology (Penneys), 284 (Clinical review)
- Immunosuppressed organ transplant recipients, skin cancer in (Lutzner), 891 (Editorial)
- Immunosuppressive drugs and hematologic disease in patients with ecthyma gangrenosum (Greene et al), 781
- Immunotherapy, topical and systemic, new hope for patients with alopecia areata (Mitchell and Krull), 763

- Infantile acropustulosis and antecedent scabies (Elperm), 895 (Correspondence)
- reply (Kahn), 896 (Correspondence)
- (Lucky and McGuire), 894 (Correspondence)
- Infection(s), cutaneous and extracutaneous, in hairy cell leukemia (Finan et al), 788
- cytomegalovirus, vesiculobullous lesions caused by, in immunocompromised adult (Bhawan et al), 743
- dermatophyte, culture of, cotton swab technic for—efficacy and merit (Head et al), 797
- and infestations of skin (Feingold and Taplin), 971
- varicella-zoster; varicella-zoster virus (Liesegang), 165
- Infectious diseases; dermatologic therapy (Coskey), 30
- Infestivity, survival and, of *Sarcoptes scabiei* var. *canis* and var. *hominis* (Arlian et al), 210
- Inflammation and immunology in patients with psoriasis (Krueger et al), 940
- Inflammatory response, evaporation of aqueous vehicle influences; sodium lauryl sulfate irritant patch tests (Dahl and Roering), 477
- inheritance of common baldness: two B or not two B? (Küster and Happle), 921 (Commentary)
- Injections, intradermal, mechanonesthesia for (Reed), 303 (Correspondence)
- Inosiplex (Isoprinosine), open-label trial of immunomodulation therapy with, in patients with alopecia totalis and cell-mediated immunodeficiency (Galbraith et al), 224
- Insect bites and stings; prevention of skin disease (Weary), 1023
- Instrumentation, drugs and, dermatologic needs in (Bickers et al), 983
- Instruments, surgical, and supplies, sterilization and care of (Sebben), 381
- Interferon, polyclonal human leukocyte, response of warts in epidermodysplasia verruciformis to treatment with (Androphy et al), 197
- Internal medicine, origin of the term (Holubar), 537 (Commentary)
- Isoprinosine (inosiplex), open-label trial of immunomodulation therapy with, in patients with alopecia totalis and cell-mediated immunodeficiency (Galbraith et al), 224
- Isotretinoin, effect of teratogenic dose of, on subsequent pregnancy in rat (Agnish et al), 665 (Correspondence)
- low-dose, treatment of oral lichen planus with (Staus and Bergfeld), 527 (Correspondence)
- strenuous exercise with (Del Campo) 301 (Correspondence)
- treatment of hidradenitis suppurativa, evaluation of (Dicken et al), 500
- used in United States for treatment of acne; retinoids: review (Dickson), 541
- Italian Society of Dermatology and Venereology, Sixtieth Congress, May 12-14, 1983 (White), 531

J

- Juvenile cutaneous mucinosis, self-healing (Pucevich et al), 327

K

- Kaposi's sarcoma, pre- (Schwartz et al), 377
- review of nineteen black patients with; cancer of skin in blacks (Mora et al), 563
- Keloidal (nodular) scleroderma (James et al), 1111
- Keratosis(es), lichenoid benign (Berger et al), 635 (Dermatopathology)
- multiple giant seborrheic, pemphigus foliaceus presenting as (Kahana et al), 299 (Correspondence)

Keratosis—cont'd

- pilaris, widespread, practical management of (Novick), 305 (Correspondence)

L

- Lamina densa; epidermal basement membrane zone—structure, ontogeny, and role in disease (Katz), 1025
- Langerhans cell quantification in tissue sections, assessment of (Horton et al), 591
- Larva migrans profundus, or gnathostomiasis (Feinstein and Rodriguez-Valdes), 738
- Laser(s), control of connective tissue metabolism by: recent developments and future prospects (Abergel et al), 1142 (Dermatologic surgery)
 - therapy, argon, treatment techniques in (Arndt), 90
- Leopard syndrome, dermal Merkel cells in nevus of Ota and (Ono et al), 245
- Les Journées Dermatologiques de Paris*: report of French Dermatology Society meeting and personal perspectives (Woodley and Berzin), 311
- Lesion(s)-free skin in patients with psoriasis (Krueger et al), 939
 - hypopigmented, in sarcoidosis (Hall et al), 1163 (Correspondence)
 - lingual, of generalized pustular psoriasis (Hubler), 1069
- Leukemia, acute, distinctive rash associated with cytarabine therapy and; neutrophilic eccrine hidradenitis (Flynn et al), 584
 - cutis, clinicopathologic correlations in (Su et al), 121
 - hair cell, cutaneous findings in (Finan et al), 788
- Leukocyte(s), cyclic adenosine monophosphate-phosphodiesterase activity, elevated umbilical cord blood, in children with atopic parents (Heskel et al), 422
 - polymorphonuclear, and monocytes; studies on anti-inflammatory properties of thalidomide (Barnhill et al), 814
- Lichen aureus: hemosiderin tattoo associated with perforator vein incompetence (Shelley et al), 260
 - planus, bullous, and lichen planus pemphigoides, differentiating (Camisa et al), 1164 (Correspondence)
 - reply (Nesbitt), 1166 (Correspondence)
 - and chronic active hepatitis (Rebora and Rongioletti), 142 (Correspondence)
 - reply (Powell et al), 142 (Correspondence)
 - liver abnormalities in patients with (Korkij et al), 609
 - /lupus erythematosus overlap syndrome, use of indirect immunofluorescence in: additional diagnostic clue (Camisa et al), 1050
 - oral, treatment of, with low-dose isotretinoin (Staus and Bergfeld), 527 ((Correspondence)
 - pemphigoides, differentiating bullous lichen planus and (Camisa et al), 1164 (Correspondence)
 - reply (Nesbitt), 1166 (Correspondence)
- Lichenoid benign keratosis (Berger et al), 635 (Dermatopathology)
- Light exposure, visible, production and inhibition of solar urticaria by (Horio et al), 1094
- d*-Limonene and eugenol in contact urticaria, mechanism of action of (Rietschel), 521 (Correspondence)
 - reply (Guin), 521 (Correspondence)
- Linear IgA bullous dermatoses (Bean et al), 1156 (Periodic synopsis)
- Lingual lesions of generalized pustular psoriasis (Hubler), 1069
- Lipid metabolism in patients with psoriasis (Krueger et al), 941
- Lipodystrophy centrifugal abdominal infantilis (Imamura et al), 203
- Lipomas in Cowden's disease (Starink), 1127 (Clinical review)

- Liver abnormalities in patients with lichen planus (Korkij et al), 609
- histologic changes in, during etretinate treatment (Foged et al), 580

Lupus band test: reevaluation (Weigand), 230

- complement factor 6 deficiency associated with (Mooney), 896 (Correspondence)
- erythematosus, annular subacute cutaneous, responsive to dapsone (McCormack et al), 397
 - discoid, immunohistochemical studies in lymphocytic infiltration of skin (Jessner) and (Willemze et al), 832
 - immunofluorescence, systemic, in case of relapsing polychondritis, bandlike pattern resembling (Brenner et al), 1161 (Correspondence)
 - /lichen planus overlap syndrome, use of indirect immunofluorescence in: additional diagnostic clue (Camisa et al), 1050
 - lupus band test sensitive test in diagnosis of (Weigand), 230
 - subacute cutaneous, relationships between antinuclear and anti-Ro/SS-A antibodies in (Deng et al), 494
- Lyme disease—United States; update, 517 (Editorial)
- Lymph node histopathology in Sézary syndrome (Buzzanga et al), 880 (Dermatopathology)
- Lymphocytic infiltration of skin (Jessner), immunohistochemical studies in, and discoid lupus erythematosus (Willemze et al), 832
- Lymphoma, cutaneous T cell, monoclonal antibodies in; dermatologic needs in drugs and instrumentation (Bickers et al), 987

M

- Malignancy, occult, herpes zoster and (Fueyo and Lookingbill), 480
- Mechanoanesthesia for intradermal injections (Reed), 303 (Correspondence)
- Medical specialty certification, fifty years of—role of American Board of Medical Specialties (Ferguson and Langsley), 911 (Special article)
- Medicine 1984: profession, not business (Wilbur), 135 (Editorial)
- Melanoma(s), malignant, sun and (Kopf et al), 674 (Special article)
 - versus nevi, fixed-tissue binding of fluorescein-conjugated conalbumin A to (Miller and Barr), 620
 - multiple, occurring in patient with xeroderma pigmentosum (Tullis et al), 364
 - primary amelanotic, dysplastic nevus syndrome with, in oculocutaneous albinism (Pehamberger et al), 731
 - and psoralens and ultraviolet A (Johnsen), 143 (Correspondence)
 - vitaligo and; can genetically abnormal melanocytes result in both vitiligo and melanoma within single family? (Lerner and Kirkwood), 696 (Commentary)
- Mercury exanthem (Nakayama et al), 137 (Editorial)
- Merkel cells, dermal, in nevus of Ota and leopard syndrome (Ono et al), 245
 - in human sera, antibodies to (Mérot et al), 568
- Metabolic disorder; dermatologic therapy (Coskey), 35
- Metabolism, connective tissue, control of, by lasers: recent developments and future prospects (Abergel et al), 1142 (Dermatologic surgery)
- Metastatic epidermotropic squamous cell carcinoma of vagina (Saruk et al), 353
- Methotrexate, two patterns of skin ulceration induced by, in patients with psoriasis (Lawrence and Dahl), 1059
- Mibelli, porokeratosis of: benzylhydrochlorothiazide-induced new lesions accompanied by eosinophilic spongiolysis (Inamoto et al), 357

Micronanalysis, electron-probe, use of, in diagnosis of factitial cutaneous ulcers and nodules (Jackson et al), 1065

Miners' itch—report of unusual case of poison oak dermatitis (Petroni), 142 (Correspondence)

Minocycline, tetracycline, and doxycycline, lack of cross-sensitivity between, with regard to fixed drug sensitivity to tetracycline (Bargman), 900 (Correspondence)
reply (Stern), 901 (Correspondence)

Minoxidil, topical, for hair regrowth (Venderveen et al), 416

Mites, *Sarcoptes scabiei*, host-seeking behavior of (Arlian et al), 594

Mohs' chemosurgery, osteomyelitis complicating (Snyder et al), 513 (Dermatologic surgery)
surgery using permanent sections (King), 304 (Correspondence)
reply (Brooks), 305 (Correspondence)

Monoclonal gammopathy and mycosis fungoides (Venencie et al), 576

Morbidity, prevalence, and cost of dermatologic diseases (Johnson et al), 930

Mucinosis, self-healing juvenile cutaneous (Pucevich et al), 327

Mucinous syringometaplasia (Scully and Assaad), 503 (Dermatopathology)

Mucocutaneous lesions in Cowden's disease (Starink), 1127 (Clinical review)

Mucosal lesions, extensive skin and, controlled with vinblastine therapy, angiolymphoid hyperplasia demonstrating (Massa et al), 333

Mycosis fungoides, monoclonal gammopathy and (Venencie et al), 576
Sézary syndrome contrasted to (Buzzanga et al), 880 (Dermatopathology)
and, T cell subset heterogeneity in series of patients with (Piepkorn et al), 427

N

Nail syndrome, yellow (Pavlidakey et al), 509 (Gross and microscopic symposium)

Nerves and appendages; aging (Gilchrest), 996

Neuralgia, postherpetic; varicella-zoster virus (Leisegang), 165

Neutropenia in patients with ecthyma gangrenosum (Greene et al), 781

Neutrophilic eccrine hidradenitis: distinctive rash associated with cytarabine therapy and acute leukemia (Flynn et al), 584

Nevi, congenital nevocytic, histologic patterns of, and implications for treatment (Zitelli et al), 402
management of; survey of current practices (Sweren), 629 (Current issues)
response (Kopf), 633 (Current issues)
fixed-tissue binding of fluorescein-conjugated concanavalin A to malignant melanomas versus (Miller and Barr), 620

Nevocytic nevi, congenital, histologic patterns of, and implications for treatment (Zitelli et al), 402
management of; survey of current practices (Sweren), 629 (Current issues)
response (Kopf), 633 (Current issues)

Nevoid basal cell carcinoma syndrome (Howell), 98

Nevus syndrome, dysplastic, with multiple primary amelanotic melanomas in oculocutaneous albinism (Pehamberger et al), 731

Nifedipine, urticaria pigmentosa responsive to (Fairley et al), 740

Noah Worcester Dermatological Society, Twenty-sixth Annual Meeting, Scottsdale, AZ, March 6-12, 1983 (Wallk et al), 1175

Nodular (keloidal) scleroderma (James et al), 1111

Nodules and ulcers, factitial cutaneous: use of electron-probe microanalysis in diagnosis (Jackson et al), 1065

Nursing home, epidemic of scabies with unusual features and treatment resistance in (Moberg et al), 242

O

OKT6 reactivity; assessment of Langerhans cell quantification in tissue sections (Horton et al), 591

Onychomycosis caused by *Trichosporon beigelii* in United States (Fusaro and Miller), 747
measurement of cure rate in (Taft), 664 (Correspondence)
reply (Zaias), 665 (Correspondence)

Oral lichen planus, treatment of, with low-dose isotretinoin (Staus and Bergfeld), 527 (Correspondence)

Orf, perianal (Kennedy and Lyell), 72

Organ transplant recipients, immunosuppressed, skin cancer in (Lutzner), 891 (Editorial)

Osteomyelitis complicating Mohs' chemosurgery (Snyder et al), 513 (Dermatologic surgery)

Ota, nevus of, and leopard syndrome, dermal Merkel cells in (Ono et al), 245

P

Pain, cutaneous, pruritus, and eccrine gland and sweating disorders (Tuckett et al), 1000

Panniculitis in surrounding area of lipodystrophia centrifugal abdominalis infantilis (Imamura et al), 203

Papilloma and sinus presentation, cutaneous bronchogenic cyst with (Miller and Tyler), 367

Papulosequamous eruptions; dermatologic therapy (Coskey), 36

Paroxysmal pruritus (Arnold), 322 (Commentary)

Patch tests, sodium lauryl sulfate irritant; evaporation of aqueous vehicle influences inflammatory response (Dahl and Roering), 477
variations of test responses among subjects and comparison to variations of allergic responses elicited by *Toxicodendron* extract (Dahl et al), 474

Pediatric Dermatology, Society for, Eighth Annual Meeting, Kiawah Island, SC, July 12-23, 1983 (Spraker et al), 152

Pemphigoid-like disease; epidermolysis bullosa acquisita (Gammon et al), 820

Pemphigus; bullous dermatoses (Bean et al), 1151 (Periodic synopsis)
foliaceus presenting as multiple giant seborrheic keratoses (Kahana et al), 299 (Correspondence)
vulgaris: results of treatment with gold as steroid-sparing agent in series of thirteen patients (Poulin et al), 851
triggered by emotional stress (Brenner and Bar-Nathan), 524 (Correspondence)

Perforator vein incompetence, hemosiderin tattoo associated with; lichen aureus (Shelley et al), 260

Perianal orf (Kennedy and Lyell), 72

Periodic synopsis, 1151

Permanent wave contact dermatitis: contact allergy to glyceryl monothioglycolate (Storrs), 74

Photochemical stability, potential contaminants, and mechanisms of sensitization; diphenylcyclopropanone (Wilkerson et al), 802

Photochemotherapy new hope for patients with alopecia areata (Mitchell and Krull), 763

piroxicam avoided in patients receiving (Serrano et al), 113

- Photosensitivity disorders; prevention of skin disease (Weary), 1022
 piroxicam-induced (Serrano et al), 113
 UVB, and testicular failure, low-sulfur hair syndrome associated with (Lucky et al), 340
 Phototherapy for psoriasis, role of ultraviolet A in (Diette et al), 441
 for treatment of psoriasis (Krueger et al), 945
 Physical, chemical, and biologic agents', environmental reactions to (Taylor et al), 1007
 Pigment retention over superficial blood vessels in area of depigmentation; new skin manifestation of progressive systemic sclerosis (Jawitz et al), 265
 Pigmentary demarcation lines associated with pregnancy (James et al), 438
 Piroxicam-induced photosensitivity (Serrano et al), 113
 Plasma cell dyscrasia, disseminated xanthoderohistiocytosis variant of xanthoma disseminatum in patient with (Battaglini and Olsen), 750
 Plenck, Josef, grandfather of modern dermatology (King and King), 143 (Correspondence)
 replies (Holubar; Sharma), 145, 146 (Correspondence)
 Poison oak dermatitis—miners' itch, report of unusual case of (Pettrone), 142 (Correspondence)
 Polyamines in involved and uninvolved skin of patients with psoriasis (Krueger et al), 942
 Polyarthritis in patients with multicentric reticulohistiocytosis (Leshner and Allen), 713
 Polychondritis, relapsing, bandlike pattern resembling systemic lupus erythematosus immunofluorescence in case of (Brenner et al), 1161 (Correspondence)
 Polymorphonuclear leukocytes and monocytes; studies on anti-inflammatory properties of thalidomide (Barnhill et al), 814
 Polyps, gastrointestinal, in Cowden's disease (Starink), 1127 (Clinical review)
 Porokeratosis, disseminated superficial "actinic" (Schwarz et al), 724
 of Mibelli: benzylhydrochlorothiazide-induced new lesions accompanied by eosinophilic spongiosis (Inamoto et al), 357
 plantaris palmaris et disseminata (Shaw and White), 454
 Porphyria cutanea tarda, childhood-onset; hepatocerythropoietic porphyria variant of (Lim and Poh-Fitzpatrick), 1103
 Practitioner's view of basic science in dermatology training (Fisher), 661 (Editorial)
 Pregnancy, pigmentary demarcation lines associated with (James et al), 438
 in rat, subsequent, effect of teratogenic dose of isotretinoin on (Agnish et al), 665 (Correspondence)
 Prescriptions, dermatologic, requiring compounding (Smith et al), 148 (Special report)
 President's note; analysis of needs and priorities in dermatology (Dobson), 927
 Prevalence, morbidity, and cost of dermatologic diseases (Johnson et al), 930
 Prostaglandins as mediator system for induction and maintenance of lesions of psoriasis (Krueger et al), 942
 Protease activity, increased, demonstration of, in lesions of psoriasis (Krueger et al), 943
 Pruritus, cutaneous pain, and eccrine gland and sweating disorders (Tuckett et al), 1000
 paroxysmal (Arnold), 322 (Commentary)
 Pseudocyst of auricle (Glamb and Kim), 58
 Psoralens and ultraviolet A, melanoma and (Johnsen), 143 (Correspondence)
 (PUVA) therapy, bronchial reactions during (Dromgoole), 894 (Correspondence)
 reply (Settipane), 894 (Correspondence)
 different biologic effectiveness of blacklight fluorescent lamps available for (Cole et al), 599
 Psoriasis (Krueger et al), 937
 anthralin therapy for (Statham et al), 303 (Correspondence)
 reply (Lowe), 304 (Correspondence)
 cell surface carbohydrates in (Schaumburg-Lever et al), 1087
 etretinate available in Europe and other countries for; retinoids: review (Dicken), 541
 generalized pustular, lingual lesions of (Hubler), 1069
 role of ultraviolet A in phototherapy for (Diette et al), 441
 suberythemogenic and maximally aggressive ultraviolet B therapy for, comparison of (Eells et al), 105
 two patterns of skin ulceration induced by methotrexate in patients with (Lawrence and Dahl), 1059
 Psychologic stress, role of, in alopecia areata (Mitchell and Krull), 763
 Psychosomatic factors, hand dermatitis and (Stocker), 523 (Correspondence)
 reply (Epstein), 524 (Correspondence)
 Pulmonary disease in idiopathic urticarial vasculitis (Falk), 346
 Pusey, William Allen (Crissey), 702 (Epitaph)
 Pustular psoriasis, generalized, lingual lesions of (Hubler), 1069
 PUVA centers, different, comparing results from (Roelands), 522 (Correspondence)
- Q
- Queries, 909
- R
- Rabbit ear and comedogenicity (Rapaport), 306 (Correspondence)
 replies (Peck, 307; Fulton, 307; Krochmal, 308; Shalita, 308; Fulton, 308) (Correspondence)
 Radiation damage, prior (sunlight and electron beam), drug eruptions presenting at sites of (Shelley et al), 53
 ionizing, nevus basal cell carcinoma model for studying tumors induced by (Howell), 98
 Rat saliva, hypersensitivity to (Wong et al), 606
 Reactions, environmental, to chemical, physical, and biologic agents (Taylor et al), 1007
 Research in aging (Gilchrist), 995
 clinical, in acne (Shalita and Freinkel), 958
 in vitiligo (Klaus and Lerner), 997
 Reticulohistiocytosis, congenital self-healing (Hashimoto et al), 447
 multicentric (Leshner and Allen), 713
 Reticulosis, localized epidermotropic (Zackheim), 904 (Correspondence)
 Woringer-Kolopp disease, is it benign? (Zackheim), 276 (Current issues)
 response (Mandojana and Helwig), 279 (Current issues)
 Retinoids, dermatologic needs in drugs and instrumentation (Bickers et al), 986
 plus psoralens with ultraviolet A, response of disseminated superficial "actinic" porokeratosis to (Schwarz et al), 724
 review (Dicken), 541 (Therapy)

Retinopathy, crystalline, absence of, after long-term therapy with β -carotene (Poh-Fitzpatrick and Barbera), 111

S

Safety evaluation program, The Cosmetic Ingredient Review (Elder), 1168 (Special report)

Saliva, rat, hypersensitivity to (Wong et al), 606

Saltpeter, chemical composition for (Holloway), 309 (Correspondence)

reply (Patterson), 309 (Correspondence)

Sarcoidosis (Kerdell and Moschella), 1

hypopigmented lesions in (Hall et al), 1163 (Correspondence)

Sarcoma, Kaposi's, review of nineteen black patients with; cancer of skin in blacks (Mora et al), 563

Sarcoptes scabiei, host-seeking behavior of (Arlian et al), 594

var. *canis* and var. *hominis*, survival and infestivity of (Arlian et al), 210

Scabies, antecedent, and infantile acropustulosis (Elpern), 895 (Correspondence)

reply (Kahn), 896 (Correspondence)

with unusual features and treatment resistance, epidemic of, in nursing home (Moberg et al), 242

Science and art, dermatologist as practitioner of; bridging credibility gap (Voorhees), 889 (Editorial)

Sclerodema: review of thirty-three cases (Venencie et al), 128

Scleroderma, immune complexes and antinuclear, antinuclear, and antitumor antibodies in (Chen et al), 461

nodular (keloidal) (James et al), 1111

Scrotum, idiopathic calcinosis and vitiligo of (Feinstein et al), 519 (Correspondence)

Seborrheic keratoses, multiple giant, pemphigus foliaceus presenting as (Kahana et al), 299 (Correspondence)

Selenium sulfide, double-blind efficacy study of, in tinea versicolor (Sánchez and Torres), 235

in tinea versicolor: blood and urine levels (Sánchez and Torres), 238

Sensitization, mechanisms of, potential contaminants, and photochemical stability, examination for; diphenylcyclopropanone (Wilkerson et al), 802

Sera, human, antibodies to Merkel cells in (Mérot et al), 568

Sexual abuse in children, genital warts and, 529 (Special report)

Sézary syndrome, lymph node histopathology in (Buzzanga et al), 880 (Dermatopathology)

T cell subset heterogeneity in series of patients with mycosis fungoides and (Piepkorn et al), 427

Sinus presentation, papilloma and, cutaneous bronchogenic cyst with (Miller and Tyler), 367

Skin, cancer of, in blacks; review of nineteen black patients with Bowen's disease (Mora et al), 557

in immunosuppressed organ transplant recipients (Lutzner), 891 (Editorial)

disease(s), prevention of (Weary), 1022

subepidermal blistering, role of epidermal basement membrane zone constituents in (Katz), 1025

ulceration, two patterns of, induced by methotrexate in patients with psoriasis (Lawrence and Dahl), 1059

Sodium lauryl sulfate irritant patch tests; evaporation of aqueous vehicle influences inflammatory response (Dahl and Roering), 477

variations of test responses among subjects and comparison to variations of allergic responses elicited by *Toxicodendron* extract (Dahl et al), 474

Solar urticaria, production and inhibition of, by visible light exposure (Horio et al), 1094

Specialty certification, medical, fifty years of—role of American Board of Medical Specialties (Ferguson and Langsley), 911 (Special article)

Spongiosis, eosinophilic, benzylhydrochlorothiazide-induced new lesions accompanied by; porokeratosis of Mibelli (Inamoto et al), 357

Squamous cell carcinoma, subungual (Lumpkin et al), 735

Staphylococcal antigens, marked elevation of IgE and specific elevations of IgE antibodies directed toward; new insight into causes of immunodeficiency disorders (Ammann), 653 (Clinical review)

Sterilization and care of surgical instruments and supplies (Sebben), 381

Steroid-sparing agent, results of treatment with gold as, in series of thirteen patients with pemphigus vulgaris (Poulin et al), 851

Strauss, John S., M.D., elected president-elect of Council of Medical Specialty Societies (Smith), 1160 (Editorial)

Sublamina densa zone; epidermal basement membrane zone—structure, ontogeny, and role in disease (Katz), 1025

Subungual epidermoid carcinoma (Mikhail), 291 (Dermatologic surgery)

Sun-exposed skin, slate-gray pigmentation of, induced by amiodarone (Weiss et al), 898 (Correspondence)

and malignant melanoma (Kopf et al), 674 (Special article)

Surgical instruments and supplies, sterilization and care of (Sebben), 381

Sweating and eccrine gland disorders, pruritus, and cutaneous pain (Tuckett et al), 1000

Syringocystadenoma papilliferum, hidrocystoma, hidradenoma papilliferum, mixed form of; congenital papillated apocrine cystadenoma (Schewach-Millet and Trau), 374

Syringometaplasia, mucinous (Scully and Assaad), 503 (Dermatopathology)

Systemic involvement, cutaneous cryptococcosis without evidence of (Sussman et al), 371

lupus erythematosus immunofluorescence in case of relapsing polychondritis, bandlike pattern resembling (Brenner et al), 1161 (Correspondence)

sclerosis, progressive, new skin manifestation of (Jawitz et al), 265

T

T cell subpopulations in alopecia areata (Todes-Taylor et al), 216
subset heterogeneity in series of patients with mycosis fungoides and Sézary syndrome (Piepkorn et al), 427

Tendon sheath, fibroma of (Cooper), 625

Teratogenic dose of isotretinoin, effect of, on subsequent pregnancy in rat (Agnish et al), 665 (Correspondence)

Tetracycline, doxycycline, and minocycline, lack of cross-sensitivity between, with regard to fixed drug sensitivity to tetracycline (Bargman), 900 (Correspondence)

reply (Stern), 901 (Correspondence)

and ibuprofen, oral, for treatment of acne vulgaris (Wong et al), 1076

Thalidomide, studies on anti-inflammatory properties of; effects on polymorphonuclear leukocytes and monocytes (Barnhill et al), 814

Therapy for acne (Shalita and Freinkel), 959

Therapy—cont'd

- argon laser, treatment techniques in (Arndt), 90
 - dermatologic: December, 1982, through November, 1983 (Coskey), 25
 - Thyroid disease in Cowden's disease (Starink), 1127 (Clinical review)
 - Tinea manuum (Perret), 300 (Correspondence)
 - double-blind efficacy study of selenium sulfide in (Sánchez and Torres), 235
 - Torre's syndrome (Banse-Kupin et al), 521 (Correspondence)
 - Toxicodendron* extract, variations of test responses among subjects and comparison to variations of allergic responses elicited by; sodium lauryl sulfate irritant patch tests (Dahl et al), 474
 - Training, dermatology, basic science in; practitioner's view (Fisher), 661 (Editorial)
 - Transplant recipients, organ, immunosuppressed, skin cancer in (Lutzner), 891 (Editorial)
 - Trazodone, drug eruption secondary to (Cohen), 526 (Correspondence)
 - reply (Stern and Bishop), 527 (Correspondence)
 - Tretinoin creams, lack of comedogenicity of (Thorne et al), 902 (Correspondence)
 - reply (Fulton), 904 (Correspondence)
 - Trichilemmal (pilar) cyst, combined epidermoid (epidermal) and (Okun), 141 (Correspondence)
 - reply (Brownstein), 141 (Correspondence)
 - Trichosporon beigelii*, onychomycosis caused by, in United States (Fusaro and Miller), 747
 - Trimethoprim/sulfamethoxazole safe and effective therapy for granuloma inguinale (Rosen et al), 433
 - Tubular apocrine adenoma with perineural invasion (Burket and Zeligson), 639 (Dermatopathology)
 - Tumors of ceruminous glands (Lynde et al), 841
 - dermatologic therapy (Coskey), 41
 - induced by ionizing radiation, nevus basal cell carcinoma model for studying tumors induced by (Howell), 98
- U
- Ulceration, skin, two patterns of, induced by methotrexate in patients with psoriasis (Lawrence and Dahl), 1059
 - Ulcers, cutaneous, use of vapor permeable membrane for; details of application and side effects (Alper et al), 858
 - and nodules, factitial: use of electron-probe microanalysis in diagnosis (Jackson et al), 1065
 - Ultraviolet A and psoralens (PUVA) therapy, bronchial reactions during (Dromgoole), 894 (Correspondence)
 - reply (Settipane), 894 (Correspondence)
 - different biologic effectiveness of blacklight fluorescent lamps available for (Cole et al), 599
 - A, role of, in phototherapy for psoriasis (Diette et al), 441
 - B photosensitivity and testicular failure, low-sulfur hair syndrome associated with (Lucky et al), 340
 - therapy for psoriasis, suberythemogenic and maximally aggressive, comparison of (Eells et al), 105
 - Umbilical cord blood leukocyte cyclic adenosine monophosphate-phosphodiesterase activity, elevated, in children with atopic parents (Heskel et al), 422
 - Update: Lyme disease—United States, 517 (Editorial)
 - Urticaria, contact, mechanism of action of eugenol and *d*-limonene in (Rietschel), 521 (Correspondence)
 - reply (Guin), 521 (Correspondence)
 - physical agents important cause of; dermatographism (Wong et al), 643 (Clinical review)

Urticaria—cont'd

- pigmentosa responsive to nifedipine (Fairley et al), 740
- solar, production and inhibition of, by visible light exposure (Horio et al), 1094

V

- Vagina, metastatic epidermotropic squamous cell carcinoma of (Saruk et al), 353
- Vapor permeable membrane, use of, for cutaneous ulcers; details of application and side effects (Alper et al), 858
- Varicella-zoster virus: systemic and ocular features (Liesegang), 165
- Vasculitis and collagen diseases; dermatologic therapy (Coskey), 28
- idiopathic urticarial, pulmonary disease in (Falk), 346
- Venereal diseases; prevention of skin disease (Weary), 1023
- transmission of granuloma inguinale (Rosen et al), 433
- Vesiculobullous lesions caused by cytomegalovirus infection in immunocompromised adult (Bhawan et al), 743
- Vinblastine therapy, angiolymphoid hyperplasia demonstrating extensive skin and mucosal lesions controlled with (Massa et al), 333
- Virus, varicella-zoster: systemic and ocular features (Liesegang), 165
- Vitiligo (Klaus and Lerner), 997
 - and melanoma; can genetically abnormal melanocytes result in both vitiligo and melanoma within single family? (Lerner and Kirkwood), 696 (Commentary)
 - of scrotum, idiopathic calcinosis and (Feinstein et al), 519 (Correspondence)

W

- Warts, response of, in epidermodysplasia verruciformis to treatment with systemic and intralesional alpha interferon (Androphy et al), 197
- Wegener's granulomatosis, cyclophosphamide (Cytoxan), drug of choice in (Ahmed and Hombal), 1115 (Therapy)
- Wells' syndrome (eosinophilic cellulitis): histologic and clinical features in arthropod bite reactions (Schorr et al), 1043
- Woringer-Kolopp disease ("localized epidermotropic reticulosis," is it benign? (Zackheim), 276 (Current issues)
 - response (Mandojana and Helwig), 279 (Current issues)
- Wrinkles (aging skin lines), collagen injections for (Rapaport et al), 250

X

- Xanthoma disseminatum, disseminated xanthosiderohistiocytosis variant of, in patient with plasma cell dyscrasia (Bataglini and Olsen), 750
- Xanthosiderohistiocytosis, disseminated, variant of xanthoma disseminatum, in patient with plasma cell dyscrasia (Bataglini and Olsen), 750
- Xeroderma pigmentosum, multiple melanomas occurring in patient with (Tullis et al), 364

Y

- Yellow nail syndrome (Pavlidakey et al), 509 (Gross and microscopic symposium)

Z

- Zinc, topical erythromycin and, acne treatment with; effect on *Propionibacterium acnes* and free fatty acid composition (Strauss and Stranieri), 86
- Zyderm, collagen concentration in (Leneck), 663 (Correspondence)
 - replies (Stegman et al; Pharriss), 663 (Correspondence)
- versicolor: blood and urine levels (Sánchez and Torres), 238

